



POTENTIAL ENVIRONMENTAL IMPACT OF NANOENERGETICS

Nancy N. Perreault^{[a]*}

Keywords: Nanomaterial, nanothermite, environmental fate, nanotoxicity.

Nanoenergetics has the potential to become the next generation of explosives and propellants. Nano-explosives often show better performances in terms of energy release, ignition and mechanical properties compared to their bulk counterparts. In addition to monomolecular explosives such as nano-TNT and nano-RDX, diverse energetic nanocomposites have been developed, including the nanometer-sized versions of conventional thermites (nanothermites) and those using carbon-based nanomaterials (e.g., fullerenes and carbon nanotubes). While the unique characteristics of nanomaterials allow groundbreaking applications, they also result in distinct environmental fate, transport and toxicity. The high surface to volume ratio and reactivity of nanomaterials make them highly dynamic in environmental systems. Once released in the environment, nanoenergetic chemicals will undergo transportation and transformation processes including dissolution, aggregation, adsorption, photolysis and biotransformation, which will also affect their persistence and bioavailability. This review was conducted to better understand the potential environmental fate and ecological impact of the use of nanoenergetics.

* Corresponding Authors

Fax: 514-496-6265

E-Mail: Nancy.perreault@cncr-nrc.gc.ca

[a] National Research Council Canada, 6100 Royalmount Ave.,
Montréal, Québec H4P 2R2

Introduction

Over the past decades, remarkable progress has been made in military science and technology to design energetic materials with higher burning rate, density and reactivity, lower sensitivity and smaller critical diameter. While explosives of coarse size are reaching their capacity limit, the emergence of nanotechnology brings new possibilities to meet the increasing military demands for high performance, safety, and environmentally friendly munitions. Nanomaterials, which are made of components with at least one dimension below 100 nm, have attractive characteristics allowing to decrease the sensitivity of explosives to impact, friction and shock waves and to increase energy release and burning rate. Increase in burning rate due to the addition of nanoenergetics to propellants is due primarily to the i) increased reactivity of nanomaterials compared to bulk materials (micrometer-sized particles), ii) increased rate of diffusion of the reactants, and iii) increased rate of energy release due to the much shorter combustion time of nanoparticles.¹ Nanoenergetics has the potential to become the next generation of explosives and propellants.

Many high explosives have been synthesized at the nanometer size including nano-nitramines (RDX, HMX, CL-20), nano-TATB (2,4,6-triamino-1,3,5-trinitrobenzene), nano-NTO (5-nitro-2,4-dihydro-3H-1,2,4-triazole-3-one) and nano-TNT (2,4,6-trinitrotoluene). Compared to their micron-sized counterparts, the shock sensitivities of nano-nitramine explosives were shown to be decreased by 59.9% (RDX), 56.4% (HMX) and 58.1% (CL-20).²

Nanothermites, mixtures of a metal (e.g. Al) and metal oxide (e.g. Fe₂O₃) at the nanoscale, are much more reactive than traditional thermites. Nanothermites are the most intensively investigated nanoenergetics and the only one

currently in use by the military. Nano-aluminum is the most common component of metal-based nanomaterials and considered as a potential replacement for the conventional aluminum powders and flakes widely used in explosives and propellants.

Carbon-based nanomaterials, including single- or multi-walled nanotubes and fullerene C₆₀, have become important due to their unique combinations of chemical and physical properties (e.g. thermal and electrical conductivity, high mechanical strength) and are used for many industrial applications. Carbon-based nanomaterials can be functionalized with energetic groups or filled with high energetic molecules, mixed with nanothermites or doped with metal oxide catalysts for use as nanoenergetics. Carbon nanotubes (CNTs) are long, thin, hollow cylinders, composed of one (single-walled carbon nanotubes, SWCNTs) or many (multi-walled carbon nanotubes, MWCNTs) concentric layers of graphenic carbon. Fullerene C₆₀ has a cage-like fused-ring structure (truncated icosahedron) that resembles a soccer ball, comprising 60 carbon atoms. The use of functionalized carbon nanomaterials in energetic compositions greatly improves their combustion performances, thermal stability and sensitivity. Choi et al.³ obtained a burning rate exceeding more than 103 times the value of bulk RDX when using 7-nm RDX annular shell around a MWCNT. When energetic materials 4-nitrobenzenediazonium nitrate, 4-nitroaniline, 2,4-dinitroaniline and RDX were loaded on CNTs, the exothermic reaction speeds of all energetic materials increased by approximately 100 times compared with those of the energetic materials alone.⁴ CNT-supported metal oxide nanoparticles significantly enhanced thermal decomposition of nitrocellulose-absorbed nitroglycerin, RDX, ammonium perchlorate and N-guanylurea-dinitramide (FOX-12). Moreover, the encapsulation of FOX-7 (1,1-diamino-2,2-dinitroethylene), RDX and HMX inside a CNT was shown to stabilize these energetic chemicals, thereby reducing their sensitivity.⁵ Because of heat energy coming from the high density of covalent energy stored by the carbon-carbon bonds in the C₆₀, fullerenes are of interest for use in nanoscale explosives. A study showed that fullerene C₆₀ can enhance the burning rate of double-based

propellants, broaden the plateau region and lower the concentration of NO_x in gas products.⁶ Fullerenes C_{60} were also shown to reduce the friction and impact sensitivities of HMX.⁷

Environmental Fate

Nanoenergetics will enter the environment either in the pristine state from spills during manufacture, transport and storage of munitions, or will be disseminated in their post-combustion (or post-detonation) state. Poda et al.⁸ found that residues of $\text{Al/Fe}_2\text{O}_3$ -based nanothermite comprise particles, generally larger than $75\ \mu\text{m}$, consist of a mixture of FeO , Al_2O_3 and FeAl_2O_4 . In the same study, $\text{Al/Bi}_2\text{O}_3$ formulations fully transformed to small ($< 5\ \mu\text{m}$) particles consisting of metallic Bi and Al_2O_3 . These products are largely resistant to wetting, settle quickly, and evidence suggests that transport in aqueous environments would be limited. Due to the particle size ranges found, it has been speculated that aerosolization should be a major transport route for the nanothermite residues. The high surface to volume ratio and reactivity of nanomaterials make them highly dynamic in environmental systems and energetic nanomaterials are likely to undergo transportation and transformation processes including dissolution, aggregation, adsorption, photolysis and biotransformation.

Transport

Solubility and dissolution

Transport is positively correlated with solubility. Theoretically, the solubility of a particle increases as size decreases. Furthermore, the rate of dissolution is dependent on particle surface area. Nanoparticles should thus dissolve faster than larger particles. The dissolution behaviour of metallic nanoparticles will affect their overall stability in the aquatic environment and their potential ecotoxicity, since toxicity has often been attributed to the release of ionic species rather than being induced by the nanoparticles themselves.⁹ Most metal-based nanoparticles have very low solubility, however, their solubility is significant (e.g. in the mg L^{-1} range) from an environmental and toxicological perspective. For example, zinc oxide is classified as insoluble in water with a solubility of $\sim 1\ \text{mg L}^{-1}$ at pH 8; nevertheless, one gram of ZnO nanoparticles added to one litre of water at pH 7.8 will generate $\sim 10\ \text{mg L}^{-1}$ of dissolved Zn. While only representing dissolution of less than 2 % of ZnO , the Zn is well in excess of the $5\ \text{mg L}^{-1}$ that would be toxic to most aquatic biota.

Pristine C_{60} fullerene and CNTs are insoluble in water. Solubility of C_{60} fullerene was estimated to be as low as $10^{-8}\ \text{ng L}^{-1}$ at $25\ ^\circ\text{C}$, equivalent to ten C_{60} molecules per ml of water.¹⁰ Direct solubility is however not the most relevant measure of the availability of fullerenes to organisms, particularly to aquatic organisms. Indeed, although C_{60} is not soluble in water or other polar solvents, water-soluble colloidal aggregates (nano- C_{60} or n C_{60}) readily form when pristine C_{60} is added to water. The aggregates have reported diameters of 5 to 500 nm and allow for C_{60} concentrations up to $100\ \text{mg L}^{-1}$, eleven orders of magnitude more than the estimated solubility.¹¹ Recent developments in chemical

modification and functionalization of CNTs have greatly improved the solubility and dispersion of CNTs in water. The solubility of monomolecular nano-explosives such as RDX and TNT has not been reported yet.

Aggregation and adsorption

Environmental fate and transport of nanoparticles can be significantly impacted by aggregation in water and adsorption onto the soil matrix and other particles. Because of their high surface area, nanoparticles have a tendency to sorb to sediments and soil particles, which greatly reduce their transport and bioavailability. Although assumption is often made that nanoparticles will be more mobile in porous media due to their small size, they may in fact be less mobile in porous media such as groundwater aquifer if they readily sorb to mineral surfaces. Thus, all other factors being equal (ionic strength and composition, media grain size and hydrodynamics), smaller particles should be less mobile due to their relatively large diffusivity that produces more frequent contacts with the surfaces of the porous media.¹² On the other hand, dissolved organic matter ubiquitous in aquatic ecosystems also adsorbs onto nanoparticles and this should favour their transport in aquatic environments.

Particles up to a few microns in size, that are present as individual particles, do not readily settle from solution. However, nanoparticles have the propensity to form larger micron-sized water-stable aggregates. Aggregation of nanoparticles typically leads to sedimentation and thus, to their removal from the aqueous phase and their immobilization. Aggregates of nanoparticles that settle can be expected to accumulate in sediments of lakes or rivers in the absence of nanoparticle degradation. Aggregation was shown to increase as the ionic strength of a solution increases and as the concentration of divalent cations such as Ca^{2+} and Mg^{2+} increases. Nanoparticles will thus tend to aggregate more in seawater (high ionic strength) than in freshwater. A study tested the stability of three metal oxide nanoparticles (TiO_2 , ZnO and CeO_2) in aqueous samples.¹³ In the low organic matter concentration and high ionic strength of seawater, the rate of sedimentation of the three nanoparticles was very high. At high nanoparticle concentrations, the concentration of suspended particles decreased by more than 80 % in less than 100 min; the rate decreased as nanoparticle aggregates were removed from solution, lowering the concentration of suspended particles. Metal oxide nanoparticles entering seawater are thus expected to be removed from the water column in a few hours. This suggests that marine organisms in the water column may only be significantly affected if the loading is frequent or continuous; benthic organisms may be at higher risk of exposure, although the exposure would be in the form of relatively large aggregates ($> 1\ \mu\text{m}$) of nanoparticles.

A completely different behaviour occurred when the metal oxide nanoparticles were dispersed in freshwater, with high organic matter concentration and low ionic strength.¹³ In freshwater, the size of the aggregates remained stable at slightly above 300 nm for the three metal oxides, with a very low rate of sedimentation. The significant amount of organic molecules that can be adsorbed onto the nanoparticle surfaces provided an additional barrier to aggregation. In the presence of NOM at realistic concentrations ($1\text{--}30\ \text{mg of carbon L}^{-1}$), nanoparticles are

stabilized and aggregation is limited.^{14,15} Thus, under these conditions, aquatic organisms within the water column (e.g. fish, algae, filter-feeders) will be exposed to small nanoparticle aggregates for a longer time. Eventually, within a few days the particles will sediment out, exposing benthic organisms as well. Chekli et al.¹⁶ evaluated that 20 % of dissolved organic matter was adsorbed to nanoparticles of Fe₂O₃ in river and lake waters; adsorption was lower in groundwater (10 %) and seawater (5 %). As expected, the size of Fe₂O₃ aggregates was higher in ground- and seawater than in river and lake waters.

Nanoparticle mobility will be significantly reduced in terrestrial compared to aquatic systems. Adsorption of nanoparticles by soil minerals and soil organic matter has not been evaluated, but is likely to be a function of particle size, shape and surface properties (specific surface area and surface charge). Most soil particles have a negative charge: small hydrophilic nanoparticles (< 20 nm) with net negative surface charges are likely to be mobile, while large hydrophilic positively-charged particles are likely to be sorbed by soil. Strongly hydrophobic nanoparticles should be strongly retained by soil organic matter.¹⁷ In addition, aggregation in soil leads to entrapment of particles in pores through which the dispersed nanoparticles could have passed, thus restricting mobility.

Transformation

Abiotic transformation

Redox reactions can alter the surface chemistry of nanoparticles and therefore affect their mobility, toxicity and ultimate fate in the environment. Despite the limited studies of redox transformations, most metal and metal oxide nanoparticles are expected to weather slowly overtime, similar to chemical weathering of minerals in the environment. Studies on the photochemical transformation of nanoparticles compared to their bulk counterparts are not available in the literature. Photochemical transformation may be an important fate process of fullerene C₆₀ in surface waters due to its strong absorption within the solar spectrum. When exposed to light, the cluster size of nC₆₀ was shown to decrease as the irradiation time increased.¹⁸ Water-soluble products were formed and, with continued light exposure, these intermediates eventually mineralized, volatilized, or converted to other products. The decay rate of C₆₀ in small clusters (150-nm diameter) was greater than for C₆₀ in larger clusters (500 nm), with half-lives of 19 and 41 h, respectively. This suggests that release of C₆₀ into surface waters will result in photochemical production of currently unknown products. Unfunctionalized SWCNTs are not, or only slowly, photo-transformed under sunlight, however, they can undergo indirect phototransformation through reactions with hydroxyl radicals.¹⁹ A carboxylated SWCNT solution was also shown to produce ROS when exposed to sunlight or when irradiated in a solar simulator, which in turn oxidized CNTs and modified their surface.²⁰

Biotransformation

Unlike organic pollutants, metals and metal oxides cannot be degraded. Therefore, biodegradation processes do not apply to nanothermite constituents. Biodegradation studies

of nano-explosives are nonexistent in the literature and very few studies are available on the biotransformation of nanoparticles in general. Nano-sized explosives have a larger surface area compared to their micron-sized counterparts and this could possibly allow faster degradation by microorganisms.

A very limited number of microorganisms and enzymes have been found to transform or degrade nanomaterials. The physical and chemical nature of CNTs, fullerenes and their derivatives make them inert, stable and difficult to degrade. Nevertheless, some fungi and fungal enzymes were successful at transforming carbon-based nanomaterials. Lignin peroxidase (LiP) secreted by the mushroom *Sparassis latifolia* degraded carboxylated SWCNTs.²¹ In addition, manganese peroxidase (MnP) from the white rot fungus *Phanerochaete chrysosporium* was reported to decompose SWCNTs.²² Another white rot fungus, *Trametes versicolor*, showed a weak ability to degrade SWCNTs.²³ *Phlebia tremellosa* and *T. versicolor* mineralized fullerol, a water-soluble hydroxylated derivative of fullerene C₆₀, after 32 weeks of decay.²⁴ C₆₀ itself was shown to be resistant to mineralization in sandy loam soil for at least 11 months and in silt loam for at least 2 years.²⁵ In addition, three bacteria (*Burkholderia kururiensis*, *Delftia acidovorans* and *Stenotrophomonas maltophilia*) were reported to form a consortium that degrade MWCNTs to CO₂ with several intermediate products such as 2-methoxynaphthalene, 2-naphthol, cinnamaldehyde and isophthalic acid.²⁶ Although individual bacteria in this community could weakly degrade MWCNTs, they were much more efficient degraders in combination. Chouhan et al.²⁷ isolated bacteria from a soil contaminated with nanomaterials and showed that the bacteria were adaptive and tolerant to the nanomaterials and thus could well survive in the contaminated soil. The bacteria were also able to transform MWCNTs by an oxidation process. The persistence of nanoenergetics in the environment will highly depend on their ability to be biodegraded. However, CNTs and fullerenes are not readily biodegradable and their fate upon release in the environment may end up being similar to polychlorinated biphenyls and other types of persistent organic pollutants (POPs), which also tend to be associated with particles in the environment.¹²

Potential ecotoxicity of nanomaterials and nanoenergetics

The fundamental properties of matter change at the nanoscale, therefore toxicity of nanoparticles cannot be predicted from the known properties of larger-sized particles of the same substance. The majority of studies have arrived at a similar conclusion: smaller particles induce a higher degree of cell death. For example, studies clearly indicated that tissue distribution of Al₂O₃ was size-dependent, and that metal oxide nanoparticles (Al₂O₃, Fe₂O₃) were able to cause more size- and dose-dependent toxicity in vivo compared to bulk materials.^{28,29} Other factors influencing toxicity include shape, chemical composition, surface structure, surface charge, aggregation and solubility. As yet, little work has been conducted to determine the effects of nanoparticles to the biota in aquatic and terrestrial habitats. The current understanding of the toxicity mechanisms and impacts of nanomaterials to different ecosystems and trophic levels,

including bacteria, algae, crustaceans, fish, plants and soil invertebrates are summarized.

Mechanisms of nanotoxicity

Living organisms may be exposed to nanoparticles via several routes, including inhalation of airborne particles (respiratory tract), ingestion (gastrointestinal tract) and dermal contact (skin). Because of their small size, nanoparticles are often more readily taken up than larger particles. Nanoparticles can cross biological membranes and access cells, tissues and organs that larger-sized particles normally cannot. Inhalation of nanoparticles may become the major route for unwanted exposure to nanothermites and nano-explosives residues. Studies over the last 25 years have suggested that smaller particles made of low-toxicity, low-solubility materials are more potent at inducing lung inflammation than the same materials at larger particle sizes. Furthermore, smaller particles exhibit enhanced penetration across the lung epithelium and into the interstitium of the lung tissue. On the other hand, nanoparticles naturally tend to aggregate into larger particles that can be microns in size, thereby reducing the likelihood of free nanoparticles being respired. However, surface modifications designed to limit particle-particle interactions may reduce the tendency for nanoparticle aggregation and increase the potential for inhalation and deposition within the lungs. Inhaled particles of different sizes exhibit different fractional depositions within the human respiratory tract. Although inhaled ultrafine particles (< 100 nm) deposit in all regions, tracheobronchial deposition is highest for particles < 10 nm in size, whereas alveolar deposition is highest for particles approximately 10–20 nm in size.^{30,31} Fullerenes, CNTs, metal and metal oxide nanoparticles were all shown to induce pulmonary inflammation and fibrosis in *in vivo* and *in vitro* studies. Once nanomaterials reach the blood stream, they are transported around the body and taken up by the organs and tissues. CNTs, for example, have been found to rapidly enter and disseminate in the organism, initially accumulating in lungs and brain and later reaching the liver and kidney via the bloodstream.³² Many nanoparticles are capable of crossing the blood-brain barrier, potentially damaging the central nervous system and inducing neurotoxic effects.³³

Reactive oxygen species (ROS) and free radical production has been identified as a primary mechanism of nanoparticle toxicity. Nanomaterial-induced ROS may result in oxidative stress, inflammation, and consequent damage to cellular constituents.³⁴ ROS can damage cell membrane, particularly through lipid peroxidation, as well as mitochondria, proteins and DNA, leading to cytotoxicity, genotoxicity and cancer. Another problematic phenomenon is the adsorption of proteins on nanoparticle surface that leads to the formation of nanoparticle-protein complexes commonly referred to as the nanoparticle-protein corona. Nanoparticles induce changes in the structure of adsorbed proteins and therefore impair their function. SWCNTs was shown to induce loss of structure and catalytic activity of enzymes.³⁵ Strong protein binding onto metal oxides is well documented, so adsorption onto metal oxide nanoparticles is likely. Nanoparticles can also induce conformational changes in proteins that can lead to fibril formation. Linse et al.³⁶ showed that a range of nanoparticles, including CNTs, are capable of inducing fibrillation of β 2-microglobulin due

to increased protein localization on the nanoparticle surface. Fibrillation of proteins is associated with diseases such as Parkinson's and Alzheimer's.

Dissolution is an essential factor to consider when evaluating toxicity of metal-containing nanoparticles. Toxicity of metal-based nanoparticles, such as ZnO, CuO and Ag, partly results from the release of metal ions.⁹ Table 1 presents toxicity values³⁷ for some organism groups. In most cases, the free metal ions are significantly more toxic. Yet, the issue is relatively complex as also other nano-specific factors may complement the effect of dissolved metal ions and the distinct role of each factor remains unknown for the moment.³⁸

As mentioned earlier, although fullerenes are highly insoluble in water, they are modified during mixing in water to form stable aggregates, known as nC₆₀, enabling C₆₀ concentrations up to 100 mg L⁻¹. This ability to be dispersed in water increases their mobility in aquatic environments and makes them available to aquatic organisms.

Table 1. Toxicity of Ag, ZnO and CuO nanoparticles (NPs) and their respective ions to bacteria, yeasts, algae, crustaceans and fish. Adapted from Ivask et al.³⁸

	MIC ^[a]	L(E)C ₅₀ ^[b]			
	Bacteria	Yeasts	Algae	Crustaceans	Fish
Ag NPs	7.1	7.9	0.36	0.01	1.36
Ag ⁺ ions	3.3	2.2	0.0076	0.00085	0.058
Zn NPs	500	121	0.08	2.3	3.0
Zn ²⁺	30	78	0.09	1.3	7.5
Cu NPs	200	17	2.8	2.1	100
Cu ²⁺	32	11	0.07	0.024	0.28

Values selected and summarized from Bondarenko et al.³⁷ ^[a] Minimal inhibitory concentration (mg L⁻¹); ^[b] Half-lethal or half-effective concentration (mg L⁻¹)

Aquatic ecotoxicity

Nanomaterials can enter natural water systems by numerous direct (through aerial deposition, effluents, dumping and run-off) and indirect routes (e.g. via river systems). Most of the currently available ecotoxicological data regarding nanoparticles are limited to species used in regulatory testing or freshwater species, and there are discrepancies in the reported effects of nanoparticles on aquatic organisms. One of the key problems encountered when assessing aquatic ecotoxicology is the protocol used to prepare the nanoparticles. For CNTs and fullerenes, there is a general consensus that they have poor aqueous solubility and that some combination of chemical dispersants, stirring or sonication is necessary to maintain them in aqueous solution. A number of ecotoxicology studies have used the organic solvent tetrahydrofuran (THF) to disaggregate nanoparticles such as C₆₀ prior to treatment of organisms. It was demonstrated that even after filtration and evaporation, THF remains trapped between the aggregated C₆₀ particles,³⁹ suggesting that studies using THF investigated the effects of C₆₀ combined with THF rather than the effects of C₆₀ per se. THF is classified by many regulatory bodies as a neurotoxin, and so could in part explain some of the effects observed in the fish. For these reasons, it is worth considering some ecotoxicological studies with caution.

Uptake and toxicity from primary producers (algae), microscopic invertebrates, up through the trophic chain is probable. Sorption onto aquatic organisms has been reported as a dominant toxicity mechanism of nanoparticles as it affects the molting behavior and swimming speed of daphnids,⁴⁰ and alter filtering efficiency. Nanoparticle coating of gills can affect respiration, cause hypoxia in blood and spleen and reduce the locomotion of fish. Nanoparticles were also shown to cover algal cell surface, increasing the cellular weight by more than 2 fold, affecting the algae's ability to float, and reducing sunlight availability for photosynthesis.⁴¹

Effects on freshwater organisms

The early studies on freshwater invertebrates focused on crustaceans, with *Daphnia magna* being the most studied test species. It has been shown that daphnids take up significant amounts of both fullerene C₆₀ aggregates (nC₆₀) and nano-iron from aqueous media.⁴² Tissue levels of > 2 mg L⁻¹ were reached when daphnids were exposed for 72 h to 30 mg L⁻¹ of nC₆₀ stirred in water. nC₆₀ could not be prepared at high enough concentration levels to cause 50 % mortality (LC₅₀) at 48 or 96 h, and no mortality was observed before 5 to 6 days of exposure. Mortality was observed at concentrations of 1, 2.5, and 5 mg L⁻¹, with the highest mortality (40 %) achieved at 2.5 mg L⁻¹. Exposure for 21 days to 2.5 and 5 mg L⁻¹ fullerenes resulted in a significant delay in *D. magna* molting and significantly reduced offspring production, which could have negative impacts at the population level. The ingested C₆₀ did not visibly bind to the daphnid exoskeleton and antennae.

Exposure of *D. magna* to nano-iron only resulted in significant mortality at 62.5 mg L⁻¹ (50 % level achieved in 24 h), which is considered a very large dose in environmental toxicology term. In addition, these organisms exhibited significant binding of the nano-iron particles to their exoskeleton surface and antennae as well as significant ingestion of the particles.

Exposure of up to 500 µg nano-Ag L⁻¹ for 48 h did not cause mortality in *D. magna*;⁴³ in contrast, the crustacean was extremely sensitive to free Ag ion (Ag⁺ added as AgNO₃), with a measured 48 h 50 % lethal concentration of 2.51 µg L⁻¹, suggesting that the acute toxicity of Ag nanoparticles was caused by the release of Ag⁺ into solution. TiO₂ nanoparticles were shown to transfer through food chain from *Daphnia* to zebrafish.⁴⁴ Overall, toxicity studies on *D. magna* indicate that the lethality of the nanoparticles tested is relatively low, but that there may still be cause for concern.

C₆₀ fullerene prepared with THF has been reported to cause significant oxidative damage *in vivo* in largemouth bass (*Micropterus salmoides*).⁴⁵ Fish exposed to 0.5 and 1 mg L⁻¹ nC₆₀ for 48 h exhibited signs of lipid peroxidation in the brain. Zhu et al.⁴⁶ reported that nC₆₀ generated by water stirring had no impact on lethality within 6 to 18 h of exposure in adult fathead minnow (*Pimephales promelas*); however, as for the largemouth bass, lipid peroxidation was observed. Exposure of zebrafish to nC₆₀ caused negative developmental effects that were mitigated after treatment with an antioxidant, supporting the notion that nC₆₀ exerts oxidative stress.⁴⁷ On the other hand, a critical review of

evidence (2007–2011) by Henry et al.⁴⁸ suggested that aqueous nC₆₀ has minimal potential to produce ROS and that oxidative stress in fish is not induced by environmentally relevant exposure to nC₆₀. A detailed study by Smith et al.⁴⁹ demonstrated that SWCNTs was a respiratory toxicant in rainbow trout and caused cellular defects indicative of systemic pathologies.

Effects on marine organisms

Few ecotoxicological studies on marine bacteria, diatoms and other algae, marine invertebrates and fish have been reported. Studies of conventional explosives such as TNT, RDX and HMX have shown that the dissolution rate, transformation rate and sorption testing were generally in close agreement under saline and freshwater conditions. However, nanoparticles in seawater and freshwater have different aggregation behaviour; this will undoubtedly have an impact on the toxicity of nanoenergetics towards marine versus freshwater receptors, even at high dilutions.

It was proposed that marine bivalves, such as *Mytilus edulis*, might take up nanoparticles using endocytosis.⁵⁰ Indeed, such modes of uptake may be especially relevant in marine ecosystems, because aggregation of nanoparticles is favoured and should occur on the surface of the organisms. Aggregation was shown to significantly enhance the uptake of 100-nm particles of polystyrene in two marine bivalve species⁵¹.

A study by Wei et al.⁵² on the marine green alga *Dunaliella tertiolecta* also supports this theory by showing that only large aggregates (2 µm range) of functionalized MWCNT were able to induce cytotoxic effects. Crustaceans and molluscs are well known for their ability to sequester toxic metals in granules in the hepato-pancreas and other tissues; it might therefore be possible for them to do the same with metal nanoparticles, and this would make these organisms potent bio-accumulators of this type of nanoparticles. In this regard, in *M. edulis* exposed to SiO₂ (3–7 µm length), endocytosis resulted in entry of SiO₂ nanoparticles in gill and digestive gland cells and their distribution in mitochondria, lysosomes and nuclei.⁵³ Accumulation and oxidative stress were also reported in the digestive glands of *M. edulis* exposed to gold citrate nanoparticles (13 nm) and in the digestive glands of *Crassostrea gigas* exposed to C₆₀-fullerene *in vitro* and *in vivo*.^{54,55} Another mussel species (*M. galloprovincialis*) exposed to C₆₀-fullerene also exhibited oxidative stress, a number of alterations in hemocytes (invertebrate immune cells) and a decrease in lysosomal stability in the digestive glands.^{56,57} Similar effects were reported in *M. edulis* hemocytes exposed to C₆₀-fullerene in the same concentration range,⁵⁸ while no effects were observed after exposure to CNT. Studies thus suggest that the major targets of nanoparticle toxicity in marine bivalve molluscs are the immune and digestive systems.

Terrestrial ecotoxicity

Very few data exist by which to assess the potential environmental risk of nanoparticles to soil biota, and this is seen as a key knowledge gap by regulators. In fact, most toxicity studies with soil organisms have been performed

using simple aqueous media instead of soil, and persistence of the nanoparticles in the test media were rarely assessed.

Effects on soil microorganisms

Soil properties are important in determining the toxic effects of nanoparticles. Organic matter content, pH and texture influence the type of microorganisms living in the soil and nanoparticle bioavailability. Tong et al.⁵⁹ examined the toxicity of nC₆₀ to soil microorganisms using soil respiration, microbial biomass, phospholipid fatty acid analysis and enzyme activities as endpoints. They found no effect of nC₆₀ to any endpoint in the soil medium used (silty clay loam, 4 % organic matter, pH 6.9). This was attributed to the strong binding of nC₆₀ to soil organic matter. A similar set of experiments examined the effect of nC₆₀ added to a neutral soil with low organic carbon content (1.5 %). No effect was found on soil respiration, biomass C and protozoan abundance, but a reduction in bacterial abundance was observed.⁶⁰ Metal nanoparticles are generally more toxic for soil microorganisms than carbon-based nanoparticles. Metal and metal oxide nanoparticles can negatively affect microbial activity, abundance and diversity even at concentrations below 1 mg kg⁻¹. For example, silver nanoparticles were shown to reduce some enzyme activities in microorganisms, while copper- and zinc-based nanoparticles reduced bacterial growth and biomass.⁶¹

Effects on soil invertebrates

Earthworms play an important role in soil biological functioning and organic matter dynamics and therefore many nanoeotoxicology studies have focused on earthworms. Petersen et al.⁶² exposed ¹⁴C-labeled MWCNTs and SWCNTs to *Eisenia fetida* in two different soils and concluded that they were not readily absorbed into organism tissues. CNTs and C₆₀ did not affect the hatchability, growth and survival of earthworms when provided in food, but were toxic to reproduction (cocoon production) at high concentration, i.e., 495 mg kg⁻¹ CNT and 1000 mg kg⁻¹ of C₆₀.⁶³ Exposure of earthworms to up to 10,000 mg kg⁻¹ of Al₂O₃ nanoparticles resulted in 100 % survival;⁶⁴ earthworms avoided the nanoparticle-amended soil at 5000 mg kg⁻¹ of Al₂O₃. Bioaccumulation in earthworm tissues increased as the Al₂O₃ particle size decreased.⁶⁴ Roh et al.⁶⁵ evaluated genotoxicity, survival, growth and reproduction of nano-Ag on the soil nematode *Caenorhabditis elegans*. Silver nanoparticles exerted considerable toxicity, decreasing the reproduction potential and increasing enzyme induction and protein formation. Ma et al.⁶⁶ reported that ZnO nanoparticles did not cause significant effect on lethality, behavior, reproduction and transgene expression of *C. elegans*.

Effects on terrestrial plants

Nanoparticles absorbed by plants may enter the food chain and cause serious alterations in humans and animals. Some nanoparticles can enter the plants via the root cell walls.^{67,68} Nanoparticles with sizes smaller than the pore diameter may pass through the plant cell wall while others may increase the permeability of cell walls under stress and then penetrate the cells. They may also cross membranes using embedded

transport carrier proteins or through ion channels. Airborne nanoparticles that accumulate over leaf surface can penetrate through leaf stomata and then be translocated to various tissues.⁶⁹ Accumulation of nanoparticles on photosynthetic surfaces may reduce sunlight availability and hence reduce photosynthetic rate. In the cytoplasm, nanoparticles can bind different organelles and interfere with normal metabolic processes, possibly via the production of ROS.⁷⁰

Nanotoxicity studies on plants have been conducted with various species and nanoparticles. In early studies, Yang and Watts reported inhibition of root elongation as an effect of 13-nm sized Al₂O₃ in maize, cucumber, soybean, cabbage and carrot.⁷¹ Later, Lin and Xing, using larger particles of Al₂O₃ (60 nm), reported no phytotoxicity to radish, rape, ryegrass, lettuce and cucumber, while the root elongation was reduced by 35 % in maize.⁷² Other studies indicated that 100-nm and 150-nm Al₂O₃ particles had no adverse effect on the growth of *Phaseolus vulgaris* and *Lolium perenne*, and *Arabidopsis thaliana*, respectively.^{73,70} One of the possible reasons for conflicting root elongation results is the variability among the applied nanoparticle size. In a study by Yanik and Vardar,⁷⁴ different concentrations of 13-nm Al₂O₃ inhibited wheat root growth consistent with the study of Yang and Watts.⁷¹ Their results also confirmed that toxicity was closely associated with a decrease in particle size. Asztemborska et al.⁷⁵ investigated the effects of Al₂O₃ particle size (nano or micro) on bioaccumulation by four different plant species. The most effective uptake and transport through the plants was observed for Al₂O₃ nanoparticles.

Zhu et al.⁷⁶ evaluated uptake, translocation and accumulation of Fe₃O₄ nanoparticles in pumpkin and lima bean. The results varied depending on the test-media and the plant species. Fe₃O₄ nanoparticles were detected in roots, stems and leaves in pumpkin plant when grown in liquid medium; they were not detected in lima bean. No uptake was observed when plants were grown in soil and reduced uptake when grown on sand; this may be due to the adherence of nanoparticles to soil and sand grains.

Lin et al.⁷⁷ investigated the uptake and translocation of carbon nanomaterials by rice plants (*Oryza sativa*) and they found that fullerene C₇₀ could be easily taken up by roots and transported to shoots. Their study also suggested that C₇₀ can be transported downward from leaves to roots through phloem if C₇₀ enters into plants through plant leaves. Similar results were not observed for MWCNTs even at high concentration (800 mg L⁻¹),⁷⁷ which could be due to the relatively larger size of MWCNTs compared to fullerenes.

Conclusion

The use of nanomaterials opens a vast potential for innovative applications in military areas. Several high explosives have been successfully synthesized at the nanometer size including RDX, HMX, CL-20, TNT, TATB, NTO, and PETN, for which the environmental fate and ecotoxicity have been studied only at the micrometer size. The environmental fate and ecological impact of nanoparticles/nanomaterials are far from being completely understood.

Extrapolations from their micrometer-sized counterparts must be made with caution since the extremely small size of nanoparticles results in novel properties and reactivity. Nanoenergetics will contaminate the environment either in the pristine or post-combustion state. It was shown that post-detonation residues of nanothermites settle quickly and thus their transport in aqueous environments should be limited. Most nanoparticles tend to form aggregates that should sediment and accumulate in soils and sediments rather than remaining in suspension in water or in the atmosphere. Aggregation and adsorption of nanoparticles by soil minerals will also limit their mobility. Consequently, the highest concentrations of nanoenergetic residues in the environment should be at or near their source of release.

Due to the extent of environmental contamination associated with the use of traditional explosives such as TNT, RDX and HMX, the military industry is now seeking more environmentally friendly alternatives; however, the physical and chemical nature of CNTs, fullerenes and their derivatives, currently tested in energetic nanocomposites, make them difficult to degrade. Nanoenergetic residues could possibly persist for long periods of time in the environment and accumulate in the food chain. Data in the literature diverge regarding toxicity of nanoparticles depending on the concentrations and the tests used. As particle size decreases, some metal-based nanoparticles are showing increased toxicity to ecological receptors, even if the same material is relatively inert in its bulk form (e.g. Ag, Al₂O₃ and Fe₂O₃).

Overall, the behavior of nanomaterials in the environment remains largely unknown, even for first-generation nanoparticles such as metals and metal oxides (Al, Ag, Fe₂O₃, Fe₃O₄, CeO₂) and carbonaceous materials (CNTs, C₆₀) currently being investigated for their use in energetic materials. A better understanding of the interactions of nanoenergetic components with diverse environmental matrices and evaluation of the ecotoxicological effects of low level exposures will help in performing appropriate environmental risk assessment and to guide military munitions suppliers, munitions acquirement managers, site managers and environmental officers as regards to the future use of nanoenergetics.

Acknowledgements

This work was supported by Defence Research Development Canada (Valcartier), Department of National Defence. The author particularly thanks Dr. Sonia Thiboutot.

References

- Berner, M. K., Zarko, V. E., Talawar M. B., *Combust. Explos. Shock Waves*, **2013**, *49*(6), 625-647. <https://doi.org/10.1134/S0010508213060014>
- Liu, J., Jiang, W., Yang, Q., Song, J., Hao, G., Li, F. S., *Def. Technol.*, **2014**, *10*(2), 184-189. <https://doi.org/10.1016/j.dt.2015.07.002>
- Choi, W., Hong, S., Abrahamson, J. T., Han, J. H., Song, C., Nair, N., Baik, S., Strano, M. S., *Nat. Mater.*, **2010**, *9*(5), 423-429. <https://doi.org/10.1038/nmat2714>
- Um, J. E., Yeo, T., Choi, W., Chae, J. S., Kim, H. S., Kim, W. J., *Sci. Adv. Mater.*, **2016**, *8*(1), 164-170. <https://doi.org/10.1166/sam.2016.2622>
- Smeu, M., Zahid, F., Ji, W., Guo, H., Jaidann, M., Abou-Rachid, H., *J. Phys. Chem.*, **2011**, *115*(22), 10985-10989. <https://doi.org/10.1021/jp201756p>
- Li, S. F., Gao, F., Zhao, F. Q., Li, S. W., *J. Propul. Technol.*, **2000**, *21*(3), 75-78.
- Jin, B., Peng, R., Chu, S., Huang, Y., Wang, R., *Propellants, Explos., Pyrotech.*, **2008**, *33*(6), 454-458. <https://doi.org/10.1002/prop.200700255>
- Poda, A. R., Moser, R. D., Cuddy, M. F., Doorenbos, Z., Lafferty, B. J., Weiss, C. A., Harmon, A., Chappell, M. A., Steevens, J. A., *J. Nanomater.*, **2013**, *2*(1). <https://doi.org/10.4172/2324-8777.1000105>
- Franklin, N. M., Rogers, N. J., Apte, S. C., Batley, G. E., Gadd, G. E., Casey, P. S., *Environ. Sci. Technol.*, **2007**, *41*(24), 8484-8490. <https://doi.org/10.1021/es071445r>
- Heymann, D., *Fullerene Sci. Technol.*, **1996**, *4*(3), 509-515. <https://doi.org/10.1080/10641229608001567>
- Fortner, J. D., Lyon, D. Y., Sayes, C. M., Boyd, A. M., Falkner, J. C., Hotze, E. M., Alemany, L. B., Tao, Y. J., Guo, W., Ausman, K. D., Colvin, V. L., Hughes, J. B., *Environ. Sci. Technol.*, **2005**, *39*(11), 4307-4316. <https://doi.org/10.1021/es048099n>
- Lowry, G. V., Wiesner, M. R., *Nanotoxicology: Characterization, Dosing and Health Effects*, Eds: N.A. Monteiro-Riviere, C.L. Tran, Informa Healthcare USA, Inc., New York, **2007**, pp. 369-389. <https://doi.org/10.3109/9781420045154-23>
- Keller, A. A., Wang, H., Zhou, D., Lenihan, H. S., Cherr, G., Cardinale, B. J., Miller, R., Ji, Z., *Environ. Sci. Technol.*, **2010**, *44*(6), 1962-1967. <https://doi.org/10.1021/es902987d>
- Chowdhury, I., Hong, Y., Walker, S. L., *Colloids Surf., A*, **2010**, *368*, 91-95. <https://doi.org/10.1016/j.colsurfa.2010.07.019>
- Liu, J., Legros, S., Ma, G., Veinot, J. G. C., von der Kammer, F., Hofmann, T., *Chemosphere*, **2012**, *87*(8), 918-924. <https://doi.org/10.1016/j.chemosphere.2012.01.045>
- Chekli, L., Zhao, Y. X., Tijing, L. D., Phuntsho, S., Donner, E., Lombi, E., Gao, B. Y., Shon, H. K., *J. Hazard. Mater.*, **2015**, *284*, 190-200. <https://doi.org/10.1016/j.jhazmat.2014.11.003>
- Batley, G. E., McLaughlin, M. J., *CSIRO Niche Manufacturing Flagship Report 2008*, Lucas Heights, NSW, **2008**.
- Hou, W. C., Jafvert, C. T., *Environ. Sci. Technol.*, **2009**, *43*(14), 5257-5262. <https://doi.org/10.1021/es900624s>
- BeigzadehMilani, S., Doctoral dissertation, Purdue University, **2015**.
- Chen, C. Y., Jafvert, C. T., *Environ. Sci. Technol.*, **2010**, *44*(17), 6674-6679. <https://doi.org/10.1021/es101073p>
- Chandrasekaran, G., Choi, S. K., Lee, Y. C., Kim, G. J., Shin, H. J., *J. Ind. Eng. Chem.*, **2014**, *20*, 3367-3374. <https://doi.org/10.1016/j.jiec.2013.12.022>
- Zhang, C., Chen, W., Alvarez, P. J., *Environ. Sci. Technol.*, **2014**, *48*(14), 7918-7923. <https://doi.org/10.1021/es5011175>
- Parks, A. N., Chandler, G. T., Ho, K. T., Burgess, R. M., Ferguson, P. L., *Environ. Toxicol. Chem.*, **2015**, *34*(2), 247-251. <https://doi.org/10.1002/etc.2791>
- Schreiner, K. M., Filley, T. R., Blanchette, R. A., Bowen, B. B., Bolskar, R. D., Hockaday, W. C., Masiello, C. A., Raebiger, J. W., *Environ. Sci. Technol.*, **2009**, *43*(9), 3162-3168. <https://doi.org/10.1021/es801873q>
- Avanasi, R., Jackson, W. A., Sherwin, B., Mudge, J. F., Anderson, T. A., *Environ. Sci. Technol.*, **2014**, *48*(5), 2792-2797. <https://doi.org/10.1021/es405306w>
- Zhang, L., Petersen, E. J., Habteselassie, M. Y., Mao, L., Huang, Q., *Environ. Pollut.*, **2013**, *181*, 335-339. <https://doi.org/10.1016/j.envpol.2013.05.058>

- ²⁷Chouhan, R. S., Qureshi, A., Yagci, B., Gülgün, M. A., Ozguz, V., Niazi, J. H., *Chem. Eng. J.*, **2016**, 298, 1-9. <https://doi.org/10.1016/j.cej.2016.04.019>
- ²⁸Prabhakar, P. V., Reddy, U. A., Singh, S. P., Balasubramanyam, A., Rahman, M. F., Indu Kumari, S., Agawane, S. B., Murty, U. S. N., Grover, P., Mahboob, M., *J. Appl. Toxicol.*, **2012**, 32(6), 436-445. <https://doi.org/10.1002/jat.1775>
- ²⁹Kumari, M., Rajak, S., Singh, S. P., Kumari, S. I., Kumar, P. U., Murty, U. S., Mahboob, M., Grover, P., Rahman, M. F., *J. Nanosci. Nanotechnol.*, **2012**, 12, 2149-2159. <https://doi.org/10.1166/jnn.2012.5796>
- ³⁰Asgharian, B., Price, O. T., *Inhal. Toxicol.*, **2007**, 19(13), 1045-1054. <https://doi.org/10.1080/08958370701626501>
- ³¹Oberdörster, G., Stone, V., Donaldson, K., *Nanotoxicology*, **2007**, 1, 2-25. <https://doi.org/10.1080/17435390701314761>
- ³²Albini, A., Pagani, A., Pulze, L., Bruno, A., Principi, E., Congiu, T., Gini, E., Grimaldi, A., Bassani, B., De Flora, S., de Eguileor, M., *Int. J. Nanomedicine*, **2015**, 10, 6133.
- ³³Feng, X., Chen, A., Zhang, Y., Wang, J., Shao, L., Wei, L., *Int. J. Nanomedicine*, **2015**, 10, 4321-4340.
- ³⁴Nel, A., Xia, T., Mädler, L., Li, N., *Science*, **2006**, 311(5761), 622-627. <https://doi.org/10.1126/science.1114397>
- ³⁵Karajanagi, S. S., Vertegel, A. A., Kane, R. S., Dordick, J. S., *Langmuir*, **2004**, 20(26), 11594-11599. <https://doi.org/10.1021/la047994h>
- ³⁶Linse, S., Cabaleiro-Lago, C., Xue, W.-F., Lynch, I., Lindman, S., Thulin, E., Radford, S. E., Dawson, K. A., *Proc. Natl. Acad. Sci.*, **2007**, 104(21), 8691-8696. <https://doi.org/10.1073/pnas.0701250104>
- ³⁷Bondarenko, O., Juganson, K., Ivask, A., Kasemets, K., Mortimer, M., Kahru, A., *Arch. Toxicol.*, **2013**, 87(7), 1181-1200. <https://doi.org/10.1007/s00204-013-1079-4>
- ³⁸Ivask, A., Juganson, K., Bondarenko, O., Mortimer, M., Aruoja, V., Kasemets, K., Blinova, I., Heinlaan, M., Slaveykova, V., Kahru, A., *Nanotoxicology*, **2014**, 8, 57-71. <https://doi.org/10.3109/17435390.2013.855831>
- ³⁹Brant, J., Lecoanet, H., Hotze, M., Wiesner, M., *Environ. Sci. Technol.*, **2005**, 39(17), 6343-6351. <https://doi.org/10.1021/es050090d>
- ⁴⁰Noss, C., Dabrunz, A., Rosenfeldt, R. R., Lorke, A., Schulz, R., Three-dimensional analysis of the swimming behavior of *Daphnia magna* exposed to nanosized titanium dioxide, *PLoS One*, **2013**, 8, e80960. <https://doi.org/10.1371/journal.pone.0080960>
- ⁴¹Navarro, E., Baun, A., Behra, R., Hartmann, N. B., Filser, J., Miao, A. J., Quigg, A., Santschi, P. H., Sigg, L., *Ecotoxicology*, **2008**, 17(5), 372-386. <https://doi.org/10.1007/s10646-008-0214-0>
- ⁴²Oberdörster, E., Zhu, S., Blickley, T. M., McClellan-Green, P., Haasch, M. L., *Carbon*, **2006**, 44(6), 1112-1120. <https://doi.org/10.1016/j.carbon.2005.11.008>
- ⁴³Zhao, C. M., Wang, W. X., *Environ. Toxicol. Chem.*, **2011**, 30(4), 885-892. <https://doi.org/10.1002/etc.451>
- ⁴⁴Zhu, X., Chang, Y., Chen, Y., *Chemosphere*, **2010**, 78, 209-215. <https://doi.org/10.1016/j.chemosphere.2009.11.013>
- ⁴⁵Oberdörster, E., *Environ. Health Perspect.*, **2004**, 112(10), 1058-1062. <https://doi.org/10.1289/ehp.7021>
- ⁴⁶Zhu, S., Oberdörster, E., Haasch, M. L., *Mar. Environ. Res.*, **2006**, 62, S5-S9. <https://doi.org/10.1016/j.marenvres.2006.04.059>
- ⁴⁷Zhu, X., Zhu, L., Li, Y., Duan, Z., Chen, W., Alvarez, P. J. J., *Environ. Toxicol. Chem.*, **2007**, 26(5), 976-979. <https://doi.org/10.1897/06-583.1>
- ⁴⁸Henry, T. B., Petersen, E. J., Compton, R. N., *Curr. Opin. Biotechnol.*, **2011**, 22(4), 533-537. <https://doi.org/10.1016/j.copbio.2011.05.511>
- ⁴⁹Smith, C. J., Shaw, B. J., Handy, R. D., *Aquat. Toxicol.*, **2007**, 82(2), 94-109. <https://doi.org/10.1016/j.aquatox.2007.02.003>
- ⁵⁰Moore, M. N., *Environ. Int.*, **2006**, 32(8), 967-976. <https://doi.org/10.1016/j.envint.2006.06.014>
- ⁵¹Ward, J. E., Kach, D. J., *Mar. Environ. Res.*, **2009**, 68(3), 137-142. <https://doi.org/10.1016/j.marenvres.2009.05.002>
- ⁵²Wei, L., Thakkar, M., Chen, Y., Ntim, S. A., Mitra, S., Zhang, X., *Aquat. Toxicol.*, **2010**, 100(2), 194-201. <https://doi.org/10.1016/j.aquatox.2010.07.001>
- ⁵³Koehler, A., Marx, U., Broeg, K., Bahns, S., Bressling, J., *Mar. Environ. Res.*, **2008**, 66(1), 12-14. <https://doi.org/10.1016/j.marenvres.2008.02.009>
- ⁵⁴Tedesco, S., Doyle, H., Redmond G., Sheehan, D., *Mar. Environ. Res.*, **2008**, 66(1), 131-133. <https://doi.org/10.1016/j.marenvres.2008.02.044>
- ⁵⁵Tedesco, S., Doyle, H., Blasco, J., Redmond, G., Sheehan, D., *Comp. Biochem. Physiol., Part C: Toxicol. Pharmacol.*, **2010**, 151(2), 167-174.
- ⁵⁶Canesi, L., Ciacci, C., Betti, M., Fabbri, R., Canonico, B., Fantinati, A., Marcomini, A., Pojana, G., *Environ. Int.*, **2008**, 34(8), 1114-1119. <https://doi.org/10.1016/j.envint.2008.04.002>
- ⁵⁷Canesi, L., Fabbri, R., Gallo, G., Vallotto, D., Marcomini, A., Pojana, G., *Aquat. Toxicol.*, **2010**, 100(2), 168-177. <https://doi.org/10.1016/j.aquatox.2010.04.009>
- ⁵⁸Moore, M. N., Readman, J. A., Readman, J. W., Lowe, D. M., Frickers, P. E., Beesley, A., *Nanotoxicology*, **2009**, 3(1), 40-45. <https://doi.org/10.1080/17435390802593057>
- ⁵⁹Tong, Z., Bischoff, M., Nies, L., Applegate, B., Turco, R. F., *Environ. Sci. Technol.*, **2007**, 41(8), 2985-2991. <https://doi.org/10.1021/es061953j>
- ⁶⁰Johansen, A., Pedersen, A. L., Karlson, U., Hansen, B. J., Scott-Fordsmand, J. J., Winding, A., *Environ. Toxicol. Chem.*, **2008**, 27(9), 1895-1903. <https://doi.org/10.1897/07-375.1>
- ⁶¹Simonin, M., Richaume, A., *Environ. Sci. Pollut. Res.*, **2015**, 22(18), 13710-13723. <https://doi.org/10.1007/s11356-015-4171-x>
- ⁶²Petersen, E. J., Huang, Q., Weber Jr., W. J., *Environ. Sci. Technol.*, **2008**, 42(8), 3090-3095. <https://doi.org/10.1021/es071366f>
- ⁶³Scott-Fordsmand, J. J., Krogh, P. H., Schaefer, M., Johansen, A., *Ecotoxicol. Environ. Saf.*, **2008**, 71(3), 616-619. <https://doi.org/10.1016/j.ecoenv.2008.04.011>
- ⁶⁴Coleman, J. G., Johnson, D. R., Stanley, J. K., Bednar, A. J., Weiss, C. A., Boyd, R. E., Steevens, J. A., *Environ. Toxicol. Chem.*, **2010**, 29(7), 1575-1580. <https://doi.org/10.1002/etc.196>
- ⁶⁵Roh, J. Y., Sim, S. J., Yi, J., Park, K., Chung, K. H., Ryu, D. Y., Choi, J., *Environ. Sci. Technol.*, **2009**, 43(10), 3933-3940. <https://doi.org/10.1021/es803477u>
- ⁶⁶Ma, H., Bertsch, P. M., Glenn, T. C., Kabengi, N. J., Williams, P. L., *Environ. Toxicol. Chem.*, **2009**, 28(6), 1324-1330. <https://doi.org/10.1897/08-262.1>
- ⁶⁷Cifuentes, Z., Custardoy, L., de la Fuente, J. M., Marquina, C., Ibarra, M. R., Rubiales, D., Pérez-de-Luque, A., *J. Nanobiotechnol.*, **2010**, 8(1), 26. <https://doi.org/10.1186/1477-3155-8-26>
- ⁶⁸Hischemöller, A., Nordmann, J., Ptacek, P., Mummenhoff, K., Haase, M., *J. Biomed. Nanotechnol.*, **2009**, 5(3), 278-284. <https://doi.org/10.1166/jbn.2009.1032>
- ⁶⁹Hong, J., Peralta-Videa, J. R., Rico, C., Sahi, S., Viveros, M. N., Bartonjo, J., Zhao, L., Gardea-Torresdey, J. L., *Environ. Sci. Technol.*, **2014**, 48(8), 4376-4385. <https://doi.org/10.1021/es404931g>

- ⁷⁰Lee, C. W., Mahendra, S., Zodrow, K., Li, D., Tsai, Y. C., Braam, J., Alvarez, P. J., *Environ. Toxicol. Chem.*, **2010**, 29(3), 669-675. <https://doi.org/10.1002/etc.58>
- ⁷¹Yang, L., Watts, D. J., *Toxicol. Lett.*, **2005**, 158(2), 122-132. <https://doi.org/10.1016/j.toxlet.2005.03.003>
- ⁷²Lin, D., Xing, B., *Environ. Pollut.*, **2007**, 150(2), 243-250. <https://doi.org/10.1016/j.envpol.2007.01.016>
- ⁷³Doshi, R., Braida, W., Christodoulatos, C., Wazne, M., O'Connor, G., *Environ. Res.*, **2008**, 106(3), 296-303. <https://doi.org/10.1016/j.envres.2007.04.006>
- ⁷⁴Yanik, F., Vardar, F., *Water, Air, Soil Pollut.*, **2015**, 226(9), 296. <https://doi.org/10.1007/s11270-015-2566-4>
- ⁷⁵Asztemborska, M., Steborowski, R., Kowalska, J., Bystrzejewska-Piotrowska, G., *Int. J. Environ. Res.*, **2015**, 9(1), 109-116.
- ⁷⁶Zhu, H., Han, J., Xiao, J. Q., Jin, Y., *J. Environ. Monit.*, **2008**, 10(6), 713-717. <https://doi.org/10.1039/b805998e>
- ⁷⁷Lin, S., Reppert, J., Hu, Q., Hudson, J. S., Reid, M. L., Ratnikova, T. A., Rao, A. M., Luo, H., Ke, P. C., *Small*, **2009**, 5(10), 1128-1132. <https://doi.org/10.1002/sml.200801556>

Received: 01.05.2018.

Accepted: 07.06.2018.