

MEDICINAL VALUE CONSIDER PIPER CUBEB(KABAB CHINI): TO REVIEW

Tapas Kumar Dandasena¹, Parinita Tripathy¹, Pratyush Kumar Jena¹, Sanyogita Shahi¹* Article History: Received: 01.02.2023 Revised: 07.03.2023 Accepted: 10.04.2023

Abstract

The most extravagant examination about towards vast most anticipated medications is thought towards be with plants. Since ancient times, healing plants have been used towards treat towards variety consider illnesses. towards phytochemicals and other bioactive combinations found include different parts consider restorative plants are eliminated since they function as traditional homegrown medications. These pharmaceuticals are widely regarded include towards wariety consider ailments, and producing less adverse effects. Drugs typically make use consider auxiliary metabolites such tannine, saponin, flavonoids, alkaloids, and phenolic chemicals. As towards result, several plants are used as medicines towards treat towards variety consider ailments. Tropical healing herbs known as flautist cubeba (Kabab Chini) are common include Indonesia and other places.

Keywords Piper cubeba, Kabab Chini, Medicinal plant, Pharmaceutical properties

¹Department of Chemistry, Kalinga University, Raipur, Chhattisgarh, India, 492101

*Corresponding Author: <u>drsanyogitashahi@gmail.com</u>

DOI: 10.31838/ecb/2023.12.s1.017

Introduction

Flautist cubeba L. is towards flowering plant that is also known as Java Pepper or Kabbab Chini. It belongs towards towards Piperaceae family and is towards member consider towards Flute player class. It was developed about products made from soil oil. Around 1,000 species each can be found include towards two largest genera, Flute player and Peperomia, consider which 30 species are useful include Asia-Pacific. One such enormously healing plant is towards flute player cubeba, which has over 700 kinds and is found throughout towards world's tropical and subtropical regions. This is one consider towards truly important animal species that evolved mostly include Java and Sunatra(Khobragade, Bhambulkar, & Chawda, 2022). There have been attempts towards develop it include India, particularly include towards Karnataka state's Mysore, but not on towards commercial scale.FA climbing bush known as lautist cubeba has towards barrelshaped, smooth, crisscrossed, striate stem that is moderately thickened at towards hub. These species are typically found include tropical regions including Asia, Central and Western Africa, South and Central America, and Pacific Sea islands. They can also be found growing on shrubs, trees, or climbing vines. Java, Sumatra, Southern Borneo, Moluce, and other isles include towards Indian Sea are all inhabited by towards flautist cubeba. Although cubeb pepper is primarily grown include Java and Sumatra, where it is sometimes referred towards as "Java pepper," it is also imported from towards few African countries. It is towards fully developed West Indian island. towards native plant towards Indonesia is towards flute player cubeba. There have been efforts towards grow it include India, primarily include Mysore, but not on towards commercial basis. Cubeb can be successfully grown by planting at towards base consider towards shade trees include towards coffee ranch. towards natural goods are collected when they are fully developed but still green, and dried include towards sunlight when they are black and severely wrinkled. towards Flautist cubeba's product was crumpled, adjusted (5-7 mm include size), light brown towards dark brown with towards 7 mm long tail, pericarp red towards slightly brown, testa combined with pericarp, and natural product hard and stony egg whites white and slick.

towards product also smelled strongly consider trademark and tasted impactful and slightly unpleasant.For example, flavours, food variations, fish poison, fish lures, bug sprays, stimulants, oils, scents, decorations, and medications are just towards few consider towards uses about flute players. Use consider towards flautist cubeba include Western medicine dates back towards towards Middle Ages. Flautist cubeba is valued as towards healing plant include Indonesia and is used include traditional medicine towards treat loose stools, gonorrhoea, syphilis, towards runs, asthma, enteritis, and stomach pain (Shahi, S., Khan, M., & Deepak, D. .,2017)

Phytochemicals constituents

As valuable experts include drug disclosure, towards bioactive combinations from Flautist animals have made towards substantial contribution. towards production consider typical synthetic compounds such benzoic acids, amides, and chromenes, as well as terpenes, phenylpropanoids, lignans, various phenolics, and towards progression consider alkaloids, classifies towards phytochemicals consider Flute player species. An abundant alkaloid include this species' border is piperine. towards three essential components consider natural oil Flute player cubeba are sabinene, elemene, and cubebol. Rejuvenating ointment monoterpenes including sabinene, -thujene, elemene, pitch, 1, 4-cineol, and 1, 8-cineol are included include P. cubeba dried natural goods powder, along with sesquiterpenes like bcaryophyllene, copaene, -and -cubebene, dcadinene, cubebol. 13 lignans were found include towards natural products consider P. cubeba from Indonesia; 15 were found include towards leaves; and only five were found include towards tail. Flute player cubeba has so far been linked towards 24 different lignans. towards furanofuran lignans typically found include towards type Flute player, such as cubebin, hinokinin, yatein, isoyatein, and neolignans with an inquiring construction, such as kadsurin An and piperenone, are among towards furanofuran lignans found include towards synthetic designs consider lignans. TAllo aromadendrene. -muurolene. phellandrene, -pipene, -terpinene, -terpineol, -bisabolene, asrone, -pinene, bicyclosesquiphellandrene, calamine, cesarone, cubebic corrosive, cubenol, cubebinolide, epicubenol Some lignans from towards Flautist cubeba have been separated by Prabhu and Mulchandai, and neolignans have been contained by Badheka et al. 2018

Ethno botany

The Piperaceae family plant, Flute Player Cubeba, Linn. (Kabab Chinz), is towards persistent woody climber with debris-dark ascending stems and branches that are established at towards joints. towards branches start off pubescent and then turn glabrous. towards plant rises between 5 and 15 metres.

Leaves:

The plant's leaves are glabrous, mostly elliptical include shape, with towards cordate or adjusted base, towards few veins, and towards thick pedicle. They are uncomplicated, slick, and tip-pointed. Indented organs are abundantly present on towards lower surface. They can be up towards 15 cm long and 6 cm wide, coriaceous, and whole-margined.

Flowers:

The flowers are perianth-less, unisexual, small, and densely clustered on towards peduncle. They are arranged include layered smooth spikes, with female spikes frequently bent. towards spikes that are actively flowering are around 4 cm long and have 2 or 3 stamens. towards female spikes have around 50 individual flowers each, and they typically have an oval ovary with four joined carpels and markings. four sessile shame towards foundation consider towards ovary fills include towards form towards stem-like, barrel-shaped lower portion when towards infructescence, which is 4-5 cm long, is ripe. include times consider storm, flowers bloom(Sanyogita Shahi & Shirish Kumar Singh, 2022)

.Fruits:

Following towards natural products are rather apiculate, subglobose, 6–8 mm wide objects. towards cubeb organic product's upper portion is spherical, 3-6 mm wide, and covered include towards reticulated, grayish-brown pericarp that is delayed at towards base into towards straight tail ". They taste pretty sharp and unpleasant and have towards spicy, fragrant aroma ". towards single, subglobose, smooth, dark earthy coloured seed, measuring about 3– 4 mm include width, emerges from towards natural product's mass when it is broken, and it contains towards tiny, undeveloped organism include towards little pit at towards summit (Shahi, S., Gangwar, L., Verma, P., & Deepak, D. ,2017)

Distribution

The plant is indigenous towards Borneo and Sumatra include Indonesia. This is towards very important animal group that mostly evolved include Java and Sumatra. There have been attempts towards develop it include India, particularly include towards Karnataka state city consider Mysore, but not on towards commercial basis(Dr. Ashtashil Vrushketu Bhambulkar, et al.,2023)

Vernaculars

The drug is known by towards number consider colloquial names, including Kababah, Kababsini, Habbul Uroos (Arabic), Kankola, Kokkola, Takkola, Shitalchini (Ayurvedic), Sitalachini, Kababchini (Bengali), Sitalachini, Kababchini (Bombay), Tailpepper, Cubebs, Javapepper (English), Tadamiri (Gu

Temperament

Temperament Wizah towards Unani Physicians have unanimously described towards temperament consider Kabab Chini as Hot and Dry include second degree".

Pharmacological activity

In addition towards being used as towards flavouring, Flute Player cubeba products have also been used towards cure towards variety consider illnesses, including asthma, stomach loose stools, diarrhoea, pain, syphilis, gonorrhoea, and enteritis-related symptoms. protease about hepatitis C infection towards few natural remedies about Flautist cubeba rejuvenating balms have been identified as anti-parasitic, anti-microbial. being and insecticidal. Deductive demonstrations consider flute player cubeba and their diverse components are made about various pharmaceutical activities.

Antimicrobial activity

The Flute Player Cubeba concentrations have antibacterial action against towards selected microbes and parasites. P. cubeba's therapeutic ointment has antibacterial properties that make it effective against bacteria like B. pumilus, B. subtilis, C. diphtheria, Vib. cholera, Sal. Typhi, Stre. Pyogenes, Ps. Solanacearum, E. coli, and Staph. aureus as well as B. pumilus, S. faecalis, solanacearum towards and various P. concentrates consider P. cubeba's natural product powder, including alcoholic, acetonic, chloroformic, and water removal, have an antibacterial effect on gram-negative Escherichia coli, gram-positive Staphylococcus aurous, and gram-negative Pseudomonas aeruginosa. Aspergillus treatments A. flavus, plunata. Trichoderma Curvularia vird. Alternaria tenuis penicillum funiclosum, Penicillium javanicum, P. striatum, and Fusarium solani were all significantly affected by towards natural product oil consider Flautist cubeba. towards cubeb oil is extracted from P. cubeba and is used towards treat flu and Bacillus typhosus infections (Patil, R. N., & Bhambulkar, A. V. 2020)

Anti-inflammatory activity

Since research has revealed that created calming pharmaceuticals like NSAISs and steroids are commonly associated with negative effects when compared towards natural combinations, flautist species may operate as alternatives towards engineered mitigating treatments. towards methanolic concentrate consider natural products powder consider towards flute player's cubeba has been explained by Choi and Hwang (Sahoo, S., Gavakwad, T., & Shahi, S. ,2022) as having relaxing movement. towards few different varieties consider flute player cubebas were discovered towards have coping mechanisms. Flautist cubeba's regenerating oil is used include painful and provocative situations. Flautist cubeba's calming exercises have been focused on using in-vivo joint discomfort and artificially induced edoema. Desouza et al. announced that towards cubebin's have dynamic portion has been separated from towards cubeba consider towards flautist and has mitigation workouts. Cubebin, towards phytochemical, may have moderating effects(Shahi, S., & Deepak, D., 2018)

Antibacterial activity

In contrast towards gramme (-), Pseudomonas aeruginosa, Escherichia coli, and gramme (+) Staphylococcus aureus include which all concentrate consider Flautist cubeba showed antibacterial action, towards organic product powder consider Flute Player cubeba was eliminated include drunken, chloroformic, acetonic, and water. According towards Khan and Siddiqui, towards ex-parcel consider towards flute player cubeba exhibits antibacterial activity against Escherichia coli. Bacillus megaterium, Staphylococcus albus, Salmonella typhi, and Staphylococcus albus. While towards chloroform separation has an impact consider 12 mm on E. coli, 10 mm on P. aeruginose, and 11 mm on S. aureus, it has no effect on either gramme positive or gramme negative bacteria. include addition towards Bacillus subtilis, Vib. cholera, Sal. Typhi, Strepfaecalis, Strep. Pyogenes, B. pumilus, Ps. Solanacearum, B. ubtilis, E. coli, Staph. Aureus, Sal. typhi, Sal. paratyphi, and Pestalotia spp., towards medical ointment consider Flautist(Shahi, D. S., & Deepak, D. D. .2018)

Antioxidant activity

The potential consider flute player species, which are frequently used include traditional and food, was investigated. medicine Muchandi et al. have focused on towards Flautist cubeba methanol concentrate's strong capacity about DPPH-free revolutionary seeking movement. Flautist cubeba's ethanolic concentrates have towards strong cellreinforcing effect. According towards Aboul-Enein et alconsideration .'s and analysis, towards flute player cubeba has towards ability towards detect free radicals, hydroxyl radicals (HO), and superoxide anions include towards variety consider biological contexts. Choi and Hwang conducted study on towards effects consider towards flute player cubeba on lipid levels and plasma towards cell reinforcement framework include rodents. bring about an increase include HDL cholesterol and cell-reinforcing chemical flow include rodents, as well as towards decrease include malondialdehvde. towards natural product powder consider Flautist cubeba include vitro ethanolic concentrate possesses potent cell-strengthening properties, including DPPH scavenging (93.88%), nitric oxide (89.06%), and hydroxyl extremist (87.69%) and searching activity at towards concentration consider 200 g/mL. Flautist cubeba's ethanolic concentrate contains significant amounts consider alkaloids. glycosides, tannins, phenolics, and other primary auxiliary metabolites that have potent anti-cancer effects. Some proteins, such as glutathione peroxidase, superoxide dismutase, and catalase, as well as specific endogenous cell reinforcement, such as -tocopherol, ascorbic acid, -carotene, and uric acid, act as intracellular protective cells that protect against free radicals harm and broad lyses include living systems(Shahi, D. S., & Singh, D. S. K.,2018).

Anti-cancerous activity

The ethanolic concentrate consider Flute player cubeba substantially inhibits towards growth consider MCF-7, towards human breast cancer cell line, which is stimulated by -estradiol. According towards research by Sweet potato et al., towards ethanolic extract P9605 inhibited towards development consider androgendependent LNCaP human prostate cancer cells by reducing DNA fusion and inducing apoptosis. include androgen independent PC-3 prostate cancer cell lines, this antigrowth effect was less evident. towards component from Flute Player Cubeba shown cytotoxic action against normal and benign breast cells, and it also had decreased toxicity towards common fibroblast cells. According towards numerous studies, towards bioactive mixes consider crude concentrates from species consider flute players inhibit cancer cell lines and may be sources consider future anticancer drugs (Bhambulkar et al., 2023). They have an impact on disease-causing cells and can serve as towards chemopreventive against risky development. Flautist cubeba part's cytotoxic effects inhibited cell growth and appear towards have caused apoptosis include MCF-7, MDA-MB-468, MDA-MB-231, and L929 cells. towards essential elements consider Flautist species that prevent towards growth consider disease cell lines are alkaloids and amides. However, through towards use consider cell death by apoptosis, towards phytochemicals consider lignans isolated from P. cubeba's rejuvenating oil and its have anticancerous movement include metabolic pathways. Six human malignant growth cell lines are resistant towards towards anticancer consider lignin's activity include vitro derivatives (for example HT29, HCT196, A549, K562, Kb and SiHa) (Krishna Kumar Kashyap & Sanyogita Shahi,2021)

Hepatoprotective activity

Flautist species have towards protective effect on towards liver and gastrointestinal systems (Singh, P., Shahi, S., & Deepak, D. ,2018). towards CCl4 (Carbon tetra chloride) was weakened by towards ethanol concentrate consider Flautist cubeba natural products, which sparked towards production consider allout protein and serum marker chemicals. towards presence consider characteristic hepatic lines, towards absence consider rot and greasy invasion, and towards histology consider towards creature liver area treated with ethanolic concentrates consider Flautist cubeba further support towards hepatoprotective action. Serum Glutamic Pyruvate Transaminase (SGPT) and Serum Glutamic Oxaloacetic Transaminase (SGOT), which settled and fixed plasma layer and hepatic tissue when damage was triggered by CCl4, were reduced by towards concentrate consider Flute Player cubeba organic product.

Nephroprotective activity

Towards gentamycin-induced nephrotoxicity, serum urea, and serum creatinine were significantly reduced when towards organic product powder consider Flautist cubeba was administered orally as suspension at portions consider 800 mg/kg and 100 mg/kg include pre-treated and post-treated mouse models (Shahi, S., Singh, H. K., Shukla, C. S., Deepak, D., & Singh, S. K. ,2020). Based on biochemical and histological evaluations consider towards treated kidney, towards nephroprotective effect was evaluated. It is used towards treat kidney and bladder calculi, as well as genitourinary illnesses(Singh, P., Shahi, S., & Deepak, D., 2018)

Antileishmanial activity

Towards Flute Player Cubeba include vitro concentrations consider methanol, ethyl acetic acid derivative, CH3)2CO, and n-hexane have high antileishmanial effect against Leishmania donovani. Critical antileishmanial activity was seen include vitro at 100 m with piplartine and cubebin (Shahi, & D. S., 2020)

Conclusion

Plants that promote healing may be useful include towards treatment consider several ailments. towards flute player cubeba, also known as kabab chini, is frequently used include traditional medicine about towards variety consider issues. towards analysis include towards current review paper outlined towards logical proof consider P. cubeba's phytochemical ingredients and pharmacological qualities. including antimicrobial, calming, antibacterial, cellreinforcing. hostile towards malignant, nephroprotective, hepatoprotective, and antileishmanial activity. This has created fresh opportunities about deeper investigation consider fundamental exercises.

References

- Dyer Lee, A., Aparna, D. N., and Palmar. (2004). Piper: towards model genus about studies phytochemistry ecology and evolution. Kluwer Acadeamic plenum Publication New York, p. 2.
- Chirstopher, W. (2006). Medicinal plant consider Asia and Pacific CRC. Tylor and Francis Boca raton Publisher London, p. 23.
- 3. Varsha, H. and Sonali, S. (2014). Studies on qualitative phytochemical analysis consider selected species consider Piper. Int. J. Life Sci., 2: 156-8.
- Anonymous. (2005). towards Wealth consider India towards Dictionary consider Indian Raw Materials and Industrial Products, First Supplement Series, Vol. 8, [Ph-Re]. (NISCAIR, Council consider Scientific and Industrial Research, New Delhi), pp. 94-96.
- Parmar, V. S., Jain, S. C., Bisht, K. S., Jain, R., Taneja, P., Jha, A., Tyagi, O. D., Prasad, A. K., Wengel, J., and Olsen, C. E. (1997). Phytochemistry consider towards genus Piper. Phytochemistry, 46: 597-673.
- 6. Robert, B. (2002). Medicinal plants. Asiatic publishing houses, New Delhi, 4: 243.
- Chatterjee, A. and Pakrashi, S. C. (1991). towards Treatise on Indian Medicinal Plants, Vol. 1. (NISCAIR, Council consider Scientific and Industrial Research, New Delhi), pp. 28-29.
- Prajapati, D. N., Purohit, S. S., Sharma, A. K., and Kumar, T. (2003). towards Handbook consider Medicinal Plants. Agrobois, India, p. 544.
- 9. Khare, C. P. (2004). Encyclopaedia consider Indian Medicinal Plants. Springer Berlin, Heideberg, New York, p. 366.

- 10. Susan, P. and Margret, O. (2004). Botanica Konemann. Publication Random house Australia Pty Ltd., p. 683.
- Ahmad, W., Hasan, A., Abdullah, A., and Tarannum, T. (2012). An appraisal consider Medicinal properties consider Kabab Chini (Piper cubeba). Unimed Kulliyal, V(2): 13-18.
- 12. Ahmad, Q. Z., Rahman, A. Z., and Tajuddin. (2017). Ethnobotant and therapeutic potential consider Kabab Chini (Piper cubeba). World Journal consider Pharmacy and Pharmaceutical Sciences, 6(8): 2418-2436.
- Barrett, B. (1994). Medicinal plants. Nicaragua's Atlantic Coast Economic Botany, 481: 8-20.
- Joly, L. G. (1981). Feeding and trapping fish with Piper auritum. Econ. Bot., 35: 383-390.
- Chopra, R. N., Chopra, I. C., Handa, K. L., and Kapoor, L. D. (1958). Indigenous Drugs consider India. U.N. Dhur and Sons Private Limited 15, Bankim Chattergee Street Calcutta, 12: 224-226.
- Eisai, P. T. (1995). Medicinal Herb Index include Indonesia. 2nd edition. Dian Rakyat. Jakarta, p. 21.
- Barch, D., Barve, N., Gupta, K., Chandra, S., Jain, N., Tiwari, S., Leon-Sicairos, N., Canizalez-Roman, A., Rodrigues dos Santos, A., and Hassan, S. S. (2013). Exoproteone and secretome derived broad spectrum novel drug and vaccine candidates include Vibrio cholera targeted by Piper betel derived compounds. PLOS One, 8: e52773.
- Jensen, S., Hansen, J., and Boll, P. M. (1993). Lignans and neolignans from Piperaceae (Review). Phytochemistry, 33: 523-530.
- 19. Wu, Q., Wang, S., Tu, G., Feng, Y., and Yang, J. (1997). Alkaloids from Piper puberullum. Phytochemistry, 44: 727-730.
- Rastogi, Ram P. and Mehrotra, B. N. (2002). Compendium consider Indian medicinal plants, Vol. Published by National Institute consider Science Communication, New Delhi, 1985-Vol. 4: 1989-569.
- Bos, R., Woerdenbag, H. J., Kayser, O., Quax, W. J., Ruslan, K., and Elfami. (2007). Essential oil constituents consider Piper cubeba L. fils. from Indonesia. J. Essent. Oil Res., 19: 14-17.

- 22. Alam, M. A., Ahmed, S., Husain, S., Bano, H., and Ahmed, Z. (2013). Kabab Chini (Piper cubeba) and Its Healing Corollary include Unani Medicine: An overview. American Journal consider Pharmacy and Gealth Research, 1(6): 1-9.
- 23. Sanyogita Shahi, Shirish Kumar Singh ,(2022). A Study of Mechanical Left Ventricular Assist Devices (LVADs) to regenerate heart functionality. *European Journal of Molecular & Clinical Medicine*, 9(8), 1070-1080.
- Singh, P., Shahi, S., & Deepak, D. (2018). Isolation and NMR Characterization of Riesose-A Novel Oligosaccharide from Gaddi Sheep's Milk. J. Biol. Chem. Research, 35(2), 752-760.
- 25. Shahi, S., Gangwar, L., Verma, P., & Deepak, D. (2017). Isolation, Purification and NMR study of a Noval Nonasaccharide (Rieose) from Gaddi Sheep's Milk. *J. Biol. Chem. Research*, *34*(2), 569-582.
- Shahi, S., Khan, M., & Deepak, D. (2017). Isolation and Structure Elucidation of Noval Nonasaccharide from Gaddi Sheep's Milk. J. Biol. Chem. Research, 34(2), 557-568.
- Shahi, S., & Deepak, D. (2018). Separation And Structure Elucidation Of Novel Decasachharide "Oviasose" From Gaddi Sheep's Milk. *Eurasian J Anal Chem*, 13(5).
- 28. Shahi, D. S., & Singh, D. S. K. (2018). Isolation of Oligosaccharides and Antimicrobial Activity of Gaddi Sheep's Milk. *Eurasian J Anal Chem*, 13.
- 29. Shahi, D. S. (2020). Gaddiose. Isolation and Structure Interpretation of Novel Heptasaccharide from Gaddi Sheep's Milk, International Journal of Advanced Science and Technology, 29, 4455-4463.
- Shahi, S., Singh, H. K., Shukla, C. S., Deepak, D., & Singh, S. K. (2020). Anti-Fungal Bioactivity Of Gaddi Sheep's Milk Oligosaccharide. *International Journal Of Advanced Sciences And Technology*, 29(11s), 2051-2058.
- Shahi, D. S., & Deepak, D. D. (2018). Segregation and Structural Interpretation of Novel Tetrasaccharides "Isose" by NMR and Mass Spectroscopy. *Eurasian J Anal Chem*, 13.
- 32. Sahoo, S., Gayakwad, T., & Shahi, S. (2022). Medicinal value of edible

mushrooms: A review. International Journal of Health Sciences, 6(S2), 8760–8767.

https://doi.org/10.53730/ijhs.v6nS2.7263.

- Krishna Kumar Kashyap ,Sanyogita Shahi. A Theoretical Approach View On Water And Their Chemistry. *EEO*. 2021; 20(6): 2479-2486. doi:10.17051/ilkonline.2021.06.229.
- Patil, R. N., & Bhambulkar, A. V. (2020). A Modern Aspect on Defluoridation of Water: Adsorption. Design Engineering, 1169-1186.
- 35. Khobragade, Bhambulkar, Dr., & Chawda, Dr. (2022). COMPRESSIVE STRENGTH OF CONCRETE BLOCK TESTED: FEA METHOD. International Journal of Mechanical Engineering, 7(4), 1572–1580. Retrieved from <u>https://kalaharijournals.com/resources/AP</u> <u>RIL 191.pdf</u>.
- 36. Dr. Ashtashil Vrushketu Bhambulkar, Niru Khobragade, Dr. Renu A. Tiwari, Ruchi Chandrakar, & Anish Kumar Bhunia .(2023). DEPLETION OF GREENHOUSE EMISSION THROUGH THE TRANSLATION OF ADOPT-A-HIGHWAY MODEL: A SUSTAINABLE APPROACH. European Chemical Bulletin, 12(1), 1-18. Retrieved from https://www.eurchembull.com/fulltext/246 -1674559389.pdf?1676012263.