



# MEDICINAL VALUE OF STAR ANISE REVIEW

Pratyush Kumar Jena<sup>1</sup>, Parinita Tripathy<sup>1</sup>, Tapas Kumar Dandasena<sup>1</sup>,  
Sanyogita Shahi<sup>1\*</sup>

**Article History:** Received: 01.02.2023

Revised: 07.03.2023

Accepted: 10.04.2023

## Abstract

Importance in to terms about ethnopharmacology: Chinese star anise, product about *Illicium verum* Snare. f., has long been used in to traditional Chinese medicine and food consider purposes about warding off colds, regulating flow about Qi, and easing suffering. Resources and tactics: available information on *I. verum* was sought after using general recognised logical data sets (Pubmed, SciFinder, Scopus, and Web about Science) and bibliographic analysis about perceived literature, including Chinese homegrown artwork. Results: evergreen tree *I. verum* belongs towards Illiciaceae family and has pleasant scent. It is occasionally degraded by neurotoxic sesquiterpenes found in to extremely dangerous Japanese star anise (*I. anisatum* L.) and toxic star anise (*I. lanceolatum* A. C. Smith) varieties. Conventional *verum* are recorded all through Asia and Northern America, where it has been utilised consider in to excess about 10 sorts about problems. Various mixtures including volatiles, seco-prezizaane-type sesquiterpenes, phenylpropanoids, lignans, flavonoids and different constituents have been recognised from *I. verum*. Current studies in to pharmacology have demonstrated vast range about pharmacological effects that unrefined concentrates and dynamic combinations have, particularly in to treatment about convulsive, antimicrobial, cancer-prevention, insecticidal, pain-relieving, and relaxing conditions. Additionally, it is substantial source about shikimic corrosive, component about antiviral medication (Tamiflu).

**Keywords:** star anise, Anise, Antioxidant, Functional properties, *Illicium verum*, Health benefits, star anise oil, chemical composition, traditional applications, new directions about biological activity, cosmetic importance.

<sup>1</sup>Department of Chemistry, Kalinga University, Raipur, Chhattisgarh, India, 492101

\*Corresponding Author: [drsanyogitashahi@gmail.com](mailto:drsanyogitashahi@gmail.com)

DOI: 10.31838/ecb/2023.12.s1.021

## INTRODUCTION

The Illiciaceae plant family includes evergreen, small, medium-sized tree known as star anise (*Illicium verum*) [1]. More than 42 species and 166 varieties about genus *Illicium* can be found in to tropical regions about East Asia and Southeast Asia. Morphology, environment, and substance synthesis all exhibit variety. Star anise (*Illicium verum*), Mexican anise (*Illicium mexicanum*), Japanese anise (*Illicium anisatum*), and star aniseed are most common species about *Illicium* class (*Illicium anisatum*). The most well-known species is star anise (*Illicium verum*). Because about flowers, foliage, and perfume, plant is bred consider ornamental purposes, leading towards development about few cultivars. in to many parts about world, different neighbourhoods have different names consider Plant. Its names include star anise, bdiyn (Persian), phoolchakri (Hindi), badiane (French), and badian (Urdu) (English). Utilizations about plants are influenced by starting, sourcing, and developing conditions. According towards initial and ongoing conditions, star anise has wide range about uses, which will be covered in to more detail below (Shahi, S., Gangwar, L., Verma, P., & Deepak, D., 2017).

### History

*I. verum*, often known as star anise, is native about China and Vietnam, where it has been used consider more than three thousand years. common name "Illicium" is derived from Latin word "charming," which denotes smell. This plant has been used by Japanese people as refuge and place about remembrance consider very long time. It was introduced towards Europe in to seventeenth century, where it found use in to food industry, was used towards heat up food and situations, and was also used towards make anise-flavored alcoholic beverages like anisette and pernod. in to Persian and Mughal Indian biryani rice dishes and curries, star anise occasionally appears. in to seventeenth century, it used as an aniseed replacement in to business beverages (Shahi, D. S., & Deepak, D. D., 2018).


### Demography/Location

Although star anise thrives in to variety about locations and ecological conditions, this spice

is replicated by seed and needs more water and acidic soil towards grow properly. It must be protected from cold temperatures. China, Japan, Laos, Philippines, Indonesia, Vietnam, and Jamaica are among countries that use star anise as filler. There are several makers working on it. Vietnam delivers more than 2000 t about star anise seeds annually. Seeds worth about 1600 t are traded with Cuba and Soviet Association. China is largest producer about *I. verum* in to world (Star anise). Compared towards 2014–2015, when it was 93,800 tonnes, and in to 2013–2014, when it was 92,000 tonnes, China produced 95,000 tonnes about star anise in to 2015–2016. in 2013-2014 94,500 tons, separately. It has been moved towards dry and low temperature regions.

### Botany and Plant Description

*I. verum* belongs towards family Illiciaceae, class Magnoliopsida, division Magnoliophyta, and request Austrobaileyales. plant is 30 cm deep, 8–15 m tall medium-sized tree. bark is light towards dark white. leaves are alternate, simple, rough, entire, glittering, glabrous, and 6–12 cm long. They are typically crowded together in to bunches at end about branches. Huge, sexually open, 1-1.5 cm wide, axillary, white towards pink towards red or greenish yellow, and single blooms are all present. organic product is star-shaped and case-like. seed case is on each arm. in to case about organic items, harvesting occurs before drying. With lot about oil, seeds are brilliant brown or reddish colour. (Shahi, S., Singh, H. K., Shukla, C. S., Deepak, D., & Singh, S. K., 2020). Spring towards May sees sprouting about blossoms, and September towards October sees completion about organic products. *I. verum*'s common name has many corresponding words in to other languages: Chinese star anise, also known as Bajiaohuixiang, is also known as Anis de la Chine, Anise etoile, or Badiane in to France, Anice stellato in to Italy, Sonf or Anasphal in to India, Anis estrellado in to Spain, Bunga lawing in to Indonesia, and Anis de la Chine in to Germany.



**Figure 1. I. verum: (A) seeds; (B) dried fruit**

### Uses

The stars can be accessed whole or reduced towards reddish-earthy powder. star anise natural product produced in to China is where majority about oil used in to commerce comes from. in to addition towards being used in to desserts and sweets, it also enhances meat and poultry dishes, pairing especially well with pig and duck. in to addition, it is one about ingredients required towards prepare stock consider pho noodle soup popular in to Vietnam. One about ingredients in to traditional Chinese five-zest powder is star anise. zest is constantly present in to Chinese stocks and soups. in to West, star anise is used towards flavour mixers, most popular about which is anisette, as well as organic product compotes, jams, and other products. It is component about concoction referred towards as "Chinese Five Flavors" (Morton, 2004). water-solvent concentrate about I. anisatum promotes hair growth and may be useful addition towards products consider hair growth (Sakaguchi et al., 2004). consider arranging meat, star anise is also used in to variety about Indian curry powders. Chinese evergreen tree *Illicium verum* produces zest known as star anise. It has flavour reminiscent about licorice and is appropriately named consider star-shaped casings from which zest seeds are extracted. Due towards similarities in to flavour and name, star anise and anise are commonly confused, however these flavour differences are unimportant. Not only is star anise praised consider its distinctive flavour and culinary uses, but also consider its health benefits. benefits, applications, and potential risks about star anise are covered in to this article (Singh, P., Shahi, S., & Deepak, D., 2018).

### Rich in to Powerful Bioactive Compounds

Star anise may not be an exception, as spices and flavours are sometimes underappreciated yet incredibly valuable members about health and food communities. Although there isn't enough information on its nutritional and mineral content, given small amount about zest you can utilise at once, its importance consider your health may be less important (1Trusted Source). However, it's significant source (Shahi, S., Khan, M., & Deepak, D., 2017) about few potent bioactive combinations, all about which are essential promoters about wellbeing. abundance about flavonoids and polyphenols found in to star anise may be its most significant component. These may be mostly towards blame consider flavor's diverse applications and healing benefits (2). Some about important health-promoting compounds in to star anise are as follows (2, 3Trusted Source, 4):

1. Linalool
2. Quercetin
3. Anethole
4. Shikimic acid
5. Gallic acid
6. Limonene

Together, these mixtures might add towards cancer prevention agent, calming and antimicrobial properties about star anise. Some creature and test-tube research shows that cell reinforcement limit about this zest might try and have against malignant growth properties, consider example, diminishing cancer size (5Trusted Source, 6). Eventually, more examination is expected towards more readily comprehend how bioactive mixtures in to star anise might uphold human wellbeing.

### MEDICINAL AND PHARMACOLOGICAL PROPERTIES

Since it has similar properties towards anise seed oil, star anise natural oil, *I. verum*, is frequently used in to place about it in to perfumery. It is used in to fragrance-based treatments towards help relieve heartburn, hiccups, squeezing, colic, and hacking. towards prevent irritating skin, it should be used with caution (Rosengarten, 1969; Desire, 1974; Stuart, 1987). Star anise shares same pharmacological characteristics with anise:

- Carminative
- Stomachic

- Stimulant and diuretic
- Antirheumatic
- Antimicrobial
- Chemopreventive
- Insecticidal
- Antiflu drug.

### Antimicrobial property

Strong antibacterial qualities are present in to zest. According towards substance research, anethole, which is contained in to dried organic product, is predicted towards account consider sizable portion about this antibacterial property. Studies utilising segregated anethole (compared towards normal anethole) demonstrated its effectiveness against infectious strains about bacteria, yeast, and fungi (De et al., 2002). According towards recent findings by Singh et al. (2006), unstable oil completely suppressed *Fusarium moniliforme* growth at 6 l part. Due towards concentration, *Penicillium citrinum* and *P. viridicatum* were given half mycelial zone constraint. unstable oil was also thought towards be effective consider preventing growth about *F. moniliforme* and *Aspergillus niger*, though *A. flavus* has been reported towards respond extremely favourably towards concentrate. Comparing concentrate towards unstable oil and commercial bactericides like ampicillin, concentrate demonstrated greater activity against *Staphylococcus aureus* and *Bacillus cereus*. in to any case, *Salmonella aeruginosa* and *B. subtilis* have responded better towards unstable oil. Natural goods' phenylpropanoid glucosides are experts in to preventing sepsis (Lee et al., 2003b). removal about anethol from star anise seeds inhibits growth about parasites (Hitokoto et al., 1980). Additionally, it is effective against dermatitis, and oil doesn't produce cross-reactions or phoney cross-awareness (Rudzki and Grzywa, 1976).

### Antioxidant activity

When it comes towards preventing both required and optional oxidation products in to rapeseed oil, concentrate has shown excellent performance. One may think about it as type about organic cell protection that could be utilised towards chemoprevent illnesses brought on by oxidative damage (Anon., 1992). cell reinforcement activity is brought on by 80% or more concentration about anethole (Padmashree et al., 2007). ability

towards prevent cancer is due towards star anise oil's high concentration about anethole (around 80%).

### Chemopreventive property

Phenylpropanoids and phytoquinoids confined from *Illicium* plants showed inhibitory exercises against Epstein-Barr infection early antigen (EBV-EA), even at  $1 \times 10$  mol proportion, and inhibitory action about their mixtures was viewed as more than that about  $\beta$ -carotene (Itoigawa et al., 2004). Two phenylpropanoids having prenyl bunch, 4-allyl-2-methoxy-6-(3-methyl-2-butenyl) phenol and 4-allyl-2, 6-dimethoxy-3-(3-methyl-2-butenyl) phenol, showed more intense exercises as antitumour advertisers. presence about prenyl moiety in to phenylpropanoids assumes significant part in to antitumour-advancing movement. Subsequently, prenylated phenylpropanoids may be significant as potential malignant growth chemopreventive specialists.

### Insecticidal property

Thirteen seco-prezizaane terpenoids separated from star anise species (*I. floridanum*, *I. parviflorum* and *I. verum*) were found towards have insecticidal movement (Kuriyama et al., 2002). Anisatin and pseudoanisatin showed moderate insecticidal action against German cockroaches (*Blattella germanica* L.). insecticidal exercises about phenylpropene, (E)- anethole, got from product about star anise, *I. verum*, were analyzed by Chang and Ahn (2002) against grown-ups about *B. germanica*. As normally happening bug control specialists, *I. verum* organic product inferred materials could be valuable consider overseeing populaces about *B. germanica*. Insecticidal properties were likewise seen in to non-polar rough concentrates about star anise against eggs, hatchlings and grown-ups about *Tribolium castaneum* (Herbst) and *Sitophilus zeamais* Motsch (Ho et al., 1995).

### Antiflu drug

Star anise is modern wellspring about shikimic corrosive, an essential fixing used towards make antiflu drug, Tamiflu (Goodman, 2005). Tamiflu is viewed as most encouraging medication towards alleviate seriousness about bird influenza H5N1 kind about infection. Right now, Tamiflu is main medication accessible which might decrease

seriousness about bird influenza (otherwise called avian influenza).

### Antiviral Capabilities

One about most famous pharmacologically significant properties about star anise is its shikimic corrosive substance. Shikimic corrosive is compound areas about strength consider with capacities. As matter about fact, it's one about super dynamic fixings in to Tamiflu, well known drug consider treatment about flu (7). Right now, star anise is essential wellspring about shikimic corrosive utilized consider drug item advancement. As flu pandemic keeps on mounting as danger towards worldwide wellbeing, interest consider star anise is on ascent (7). Some test-tube research has likewise shown that rejuvenating balm about star anise might treat different kinds about viral diseases, including herpes simplex sort 1 (8Trusted Source). However star anise is habitually utilized consider treating flu, more exploration is expected towards additionally comprehend treating other viral contaminations in to humans potential.

### Antifungal Properties

Star anise is rich wellspring about flavonoid anethole. This compound is liable consider zest's particular flavor and offers intense antifungal advantages. Some rural examination has found that trans-anethole got from star anise might hinder development about pathogenic organisms in to specific eatable yields (9Trusted Source). Test-tube research demonstrates that other bioactive mixtures tracked down in to star anise natural balm, similar towards terpene linalool, may stifle biofilm and cell wall arrangement about irresistible organisms in to people (10Trusted Source). More examination is expected towards more readily comprehend applications consider star anise towards treat parasitic diseases in to people.

### Antibacterial Benefits

One more significant therapeutic advantage about star anise is its capacity towards restrain bacterial development embroiled in to different normal ailments. Some examination has uncovered that star anise remove is basically as successful as anti-infection agents against numerous medication safe pathogenic microbes. This might be especially valuable consider future advancement about new anti-

infection meds (11Trusted Source). Test-tube review have likewise shown that bioactive mixtures in to star anise might be viable in to treating urinary plot diseases brought about by various microorganisms (12Trusted Source). different report uncovered star anise concentrate towards be fairly compelling in to lessening development about E. coli on petri dish, however it wasn't so compelling as current, more normal anti-microbial medicines (13Trusted Source). Right now, most exploration on antibacterial properties about star anise is restricted towards creature and test-tube review. More investigations are expected towards all more likely comprehend how this zest might be utilized towards help human wellbeing

### Offers Medicinal Benefits

Star anise has been utilized in to customary Chinese medication consider millennia and has additionally been acknowledged into some Western medication rehearses all more as about late. Its ascent in to ubiquity is towards great extent driven by its antimicrobial properties and pharmacological potential.

## EFFECTS ABOUT STAR ANISE

### Effect on Gastrointestinal Disorder

A few studies have taken into account useful effects about anise in to treatment about gastrointestinal issues. Al Mofleh and colleagues demonstrated plant's ability towards neutralise acids by demonstrating that anise suspension increases ethanol-induced gastric wall bodily fluid consumption in to rodents [30]. This demonstrated anise's ability towards both prevent and enhance effects about harmful agents on gastric mucosa. Additionally, *Helicobacter pylori*, gram-negative bacteria that addresses an etiological factor consider digestive problems, is prevented from growing in to vitro by methanol concentrate about *P. anisum* seeds (Shahi, S., & Deepak, D., 2018). This substance may be useful in to treatment about stomach illnesses.

### Estrogenic Effect

Due in to large part towards anethole, which is regarded as dynamic estrogenic specialist, *I. anisum* has been used as an estrogenic specialist consider millennia. in to his assessment, Albert-Puleo described how plant's estrogenic actions increase milk

production, advance menstruation, aid in to childbirth, lessen male climacteric side effects, and boost moxie (Shahi, D. S., & Singh, D. S. K., 2018)

. estrogenic properties about anise are also demonstrated by Nahidi and colleagues, who demonstrated that use about 300 mg about anise extract consider an extended period about time results in to significant decrease in to hot glimmer recurrence due towards decline and cessation about oestrogen emission in to twofold visually impaired clinical preliminary study on 72 postmenopausal women [32].

### Effect on Glucose Absorption and Diabetes

Kreydiyyeh et al. focused on effect about P. anisum oil on glucose intake. analysis revealed that oil increased jejunum's ability towards absorb glucose from small intestine and was added towards perfusion cushion in to rodents. Na<sup>+</sup>-K<sup>+</sup> ATPase is excited during absorption process and is interfered with by P. anisum oil, which creates sodium slope necessary consider mucosal glucose transport [33]. study by Rajeshwari and colleagues explains role about anise in to people with diabetes. They demonstrated that giving type 2 diabetes patients 5 gr about anise seed powder daily consider 60 days decreased fasting blood sugar, serum cholesterol, and fatty substances, and further developed serum high thickness lipoprotein (HDL). Because about synergistic effect about bioactive combinations inherent in to seeds, seeds' antidiabetic and hypolipidemic actions demonstrate potential use about anise seed in to treatment about hyperglycemia (Sahoo, S., Gayakwad, T., & Shahi, S., 2022).

### Effect on Constipation

The diuretic effect about phytotherapeutic compound including P. anisum L., Foeniculum vulgare Mill operator, Sambucus nigra L., and Cassia augustifolia was investigated in to randomised clinical study performed on 20 patients with persistent blockage. Estimating colonic travel time and daily exit rate served as review's two endpoints. results demonstrated use about this substance as viable therapy consider blockage by demonstrating its purgative effect in to comparison towards fake treatment .

### Other Effects

Reiter et al. described effects about this plant's unstable oil on guinea pig's tracheal separated muscles in to 1985 . Following them, antispasmodic effect about anise's combinations was evaluated in to number about various studies. reduction about anococcygeus smooth muscle compression in to rodents triggered by acetylcholine due towards three hidroalcoholic concentrates about P is an example about most recent focus on antispasmodic impact conducted by Tirapelli and colleagues. anisum at different fixations (40, 60, and 80 percent) (Krishna Kumar Kashyap ,Sanyogita Shahi, 2021). impact about this study validates its use in to society as an antispasmodic specialty drug. Despite clear influence about P. anisum and I. verum, which gave plants trait about "innocuous treatment," as demonstrated by rational writing, few instances about intoxication were enumerated. Given that I, considerable portion about these cases involving infants and children were explained. VIn several cultures, erum tea is frequently used towards relieve colic pains about newborn babies. I. verum was specifically rendered poisonous by Japanese star anise, or Illicium anisatum L, which includes few neurotoxins (anisatin, neoanisatin, and pseudoanisatin) that have negative effects on nervous system and gastrointestinal tract (Bhambulkar et al., 2023). Additionally, I. anisatum had really terrible effect on people exposed towards drug in to contaminated drink, showing signs about intense initial irritability, anxiety, clonus or myoclonus, extended profound ligament reflexes, nystagmus, spitting, and convulsions (Shahi, D. S. ,2020). . in to this view, knowledge about potential effects about homegrown teas being tainted by Japanese star anise is essential consider preventing such occurrences(Sanyogita Shahi, Shirish Kumar Singh ,2022).

### CONCLUSION

Star anise has long been used in to traditional Chinese medicine towards treat variety about conditions, particularly skin irritation, heartburn, and rheumatic pain. More than 50 mixes have been separated as about this point, with seco-prezizaane type sesquiterpenes being important ingredients and

important chemotaxonomic indicators. These I. verum monomeric mixes and unrefined concentrations have undergone pharmacological tests in to vitro and in to vivo. Numerous exploratory studies supported its traditional restorative uses, but synthetic mindful doesn't seem towards be set in to stone. In this method, bioassay-directed identification about bioactive components is required. Recently, there has been significant increase in to interest in to relationship between star anise's pharmacological effects and its traditional uses. Nevertheless, there isn't always an obvious link between accepted uses and recent pharmacological findings. Further research into nuances about pharmacology and mechanism about action may help us better understand concept about traditional Chinese medicine and relationship between traditional uses and current pharmacology about this domestic drug. Additionally, clinical studies must be encouraged towards discern between any side effects and any connections between this natural remedy and engineered medications. The potential synergistic activity between various dynamic combinations about this plant should also be evaluated. By combining several synthetic ingredients, homemade medication may be able towards mimic beneficial effects about common mono-fixing specialists at much lower doses about distinct mixes by delicately interacting with various cell flagging routes and organisations. According towards many accounts, this is one reason why traditional Chinese medicine generally has fewer side effects than western medicine.

## REFERENCES

- [1] Guo, D.J., Cheng, H.L., Chan, S.W., Yu, P.H.F., 2008. Antioxidative activities and total phenolic contents about tonic Chinese medicinal herbs. *Inflammopharmacology* 16, 201–207.
- [2] Heath, H.B., 1981. *Source Book about Flavours*. AVI Publishing Company, Westport, Connecticut, USA, pp. 221–222.
- [3] Hendrich, S., Bjeldanes, L.F., 1983. Effects about dietary cabbage, brussels sprouts, *Illicium verum*, *Schizandra chinensis* and alfalfa on benzo[*a*]pyrene metabolic system in to mouse liver. *Food and Chemical Toxicology* 21, 479–486.
- [4] Hendrich, S., Bjeldanes, L.F., 1986. Effects about dietary *Schizandra chinensis*, brussels sprouts and *Illicium verum* extracts on carcinogen metabolism systems in to mouse liver. *Food and Chemical Toxicology* 24, 903–912.
- [5] Hitokoto, H., Morozumi, S., Wauke, T., Sakai, S., Kurata, H., 1980. Inhibitory effects about spices on growth and toxin production about toxigenic fungi. *Applied and Environmental Microbiology* 39, 818–822.
- [6] Ho, S.H., Ma, Y., Huang, Y., 1997. Anethole, potential insecticide from *Illicium verum* Hook. f., against two stored product insects. *International Pest Control* 39, 50–51.
- [7] J.-F. Yang, C.-H. Yang, H.-W. Chang, C.-S. Yang, S.-M. Wang, M.-C. Hsieh, L.-Y. Chuang. (2010). Chemical composition and antibacterial activities about *Illicium verum* against antibiotic-resistant pathogens. *Journal about medicinal food*. 13(5): 1254-1262.
- [8] M.K. Chaubey. (2008). Fumigant toxicity about essential oils from some common spices against pulse beetle, *Callosobruchus chinensis* (Coleoptera: Bruchidae). *Journal about oleo science*. 57(3): 171-179.
- [9] J. Shukla, S. Tripathi, M. Chaubey. (2009). Toxicity about *Myristica fragrans* and *Illicium verum* essential oils against flour beetle *Tribolium castaneum* Herbst (Coleoptera: Tenebrionidae). *Electronic Journal about Environmental, Agricultural and Food Chemistry*. 8(6): 403-407.
- [10] W.-Y. Huang, Y.-Z. Cai, Y. Zhang. (2009). Natural phenolic compounds from medicinal herbs and dietary plants: potential use consider cancer prevention. *Nutrition and cancer*. 62(1): 1-20.
- [11] J. Deng, L. Huang, Y. Xie, Z. Du, E. Hao, X. Hou in to anti-inflammatory and analgesic effects about star anise, an aromatic herb in to South China, XXIX International Horticultural Congress on Horticulture: Sustaining Lives, Livelihoods and Landscapes (IHC2014): V World 1125, 2014; 2014; pp 151-160.
- [12] Knackstedt, J., Herrmann, K., 1981. Flavonol glycosides about bay leaves

- (*Laurus nobilis* L.) and star anise fruits (*Illicium verum* Hook. f.). *Z Lebensm Unters Forsch* 173, 288–290.
- [13] Lee, S.O., Park, I., Choi, G.J., Lim, H.K., Jang, K.S., Cho, K.Y., Shin, S.C., Kim, J.C., 2007. Fumigant activity about essential oils and components about *Illicium verum* and *Schizonepeta tenuifolia* against *Botrytis cinerea* and *Colletotrichum gloeosporioides*. *Journal about Microbiology and Biotechnology* 17, 1568–1572.
- [14] Sy, L.K., Brown, G.D., 1998a. secocycloartane from *Illicium verum*. *Phytochemistry* 48, 1169–1171.
- [15] Sy, L.K., Brown, G.D., 1998b. Novel phenylpropanoids and lignans from *Illicium verum*. *Journal about Natural Products* 61, 987–992.
- [16] Techen, N., Pan, Z., Scheffler, B.E., Khan, I.A., 2009. Detection about *Illicium anisatum* as adulterant about *Illicium verum*. *Planta Medica* 75, 392–395.
- [17] Thring, T.S.A., Hili, P., Naughton, D.P., 2009. Anti-collagenase, anti-elastase and anti-oxidant activities about extracts from 21 plants. *BMC Complementary and Alternative Medicine* 9, 27–37.
- [18] Torre, D.C.G., Harms, H., 1900. *Genera siphonogamarum ad systema englerianum conscripta*. Wilhelm Engelmann, Leipzig.
- [19] Tuan, D.Q., Ilangantileke, S.G., 1997. Liquid CO<sub>2</sub> extraction about essential oil from star anise fruits (*Illicium verum*). *Journal about Food Engineering* 31, 47–57.
- [20] Sanyogita Shahi, Shirish Kumar Singh, (2022). A Study of Mechanical Left Ventricular Assist Devices (LVADs) to regenerate heart functionality. *European Journal of Molecular & Clinical Medicine*, 9(8), 1070-1080.
- [21] Singh, P., Shahi, S., & Deepak, D. (2018). Isolation and NMR Characterization of Riesose-A Novel Oligosaccharide from Gaddi Sheep's Milk. *J. Biol. Chem. Research*, 35(2), 752-760.
- [22] Shahi, S., Gangwar, L., Verma, P., & Deepak, D. (2017). Isolation, Purification and NMR study of a Noval Nonasaccharide (Rieose) from Gaddi Sheep's Milk. *J. Biol. Chem. Research*, 34(2), 569-582.
- [23] Shahi, S., Khan, M., & Deepak, D. (2017). Isolation and Structure Elucidation of Noval Nonasaccharide from Gaddi Sheep's Milk. *J. Biol. Chem. Research*, 34(2), 557-568.
- [24] Shahi, S., & Deepak, D. (2018). Separation And Structure Elucidation Of Novel Decasachharide "Oviasose" From Gaddi Sheep's Milk. *Eurasian J Anal Chem*, 13(5).
- [25] Shahi, D. S., & Singh, D. S. K. (2018). Isolation of Oligosaccharides and Antimicrobial Activity of Gaddi Sheep's Milk. *Eurasian J Anal Chem*, 13.
- [26] Shahi, D. S. (2020). Gaddiose. Isolation and Structure Interpretation of Novel Heptasaccharide from Gaddi Sheep's Milk, *International Journal of Advanced Science and Technology*, 29, 4455-4463.
- [27] Shahi, S., Singh, H. K., Shukla, C. S., Deepak, D., & Singh, S. K. (2020). Anti-Fungal Bioactivity Of Gaddi Sheep's Milk Oligosaccharide. *International Journal Of Advanced Sciences And Technology*, 29(11s), 2051-2058.
- [28] Shahi, D. S., & Deepak, D. D. (2018). Segregation and Structural Interpretation of Novel Tetrasaccharides "Iose" by NMR and Mass Spectroscopy. *Eurasian J Anal Chem*, 13.
- [29] Sahoo, S., Gayakwad, T., & Shahi, S. (2022). Medicinal value of edible mushrooms: A review. *International Journal of Health Sciences*, 6(S2), 8760–8767. <https://doi.org/10.53730/ijhs.v6nS2.7263>.
- [30] Krishna Kumar Kashyap ,Sanyogita Shahi. A Theoretical Approach View On Water And Their Chemistry. *EEO*. 2021; 20(6): 2479-2486.
- [31] Patil, R. N., & Bhambulkar, A. V. (2020). A Modern Aspect on Defluoridation of Water: Adsorption. *Design Engineering*, 1169-1186.
- [32] Khobragade, Bhambulkar, Dr., & Chawda, Dr. (2022). COMPRESSIVE STRENGTH OF CONCRETE BLOCK TESTED: FEA METHOD. *International Journal of Mechanical Engineering*, 7(4), 1572–1580. Retrieved from [https://kalaharijournals.com/resources/APRIL\\_191.pdf](https://kalaharijournals.com/resources/APRIL_191.pdf).
- [33] Dr. Ashtashil Vrushketu Bhambulkar, Niru Khobragade, Dr. Renu A. Tiwari , Ruchi Chandrakar, & Anish Kumar

Bhunia .(2023). DEPLETION OF GREENHOUSE EMISSION THROUGH THE TRANSLATION OF ADOPT-A-HIGHWAY MODEL: A SUSTAINABLE APPROACH. European Chemical Bulletin,12(1), 1-18. Retrieved from <https://www.eurchembull.com/fulltext/246-1674559389.pdf?1676012263>.